

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE <div style="text-align: center;">J</div>		PAGE OF PAGES <div style="text-align: center;">1 18</div>	
2. AMENDMENT/MODIFICATION NO. <div style="text-align: center;">0001</div>		3. EFFECTIVE DATE <div style="text-align: center;">26-Jul-2002</div>		4. REQUISITION/PURCHASE REQ. NO. <div style="text-align: center;">W16ROE-2141-0901</div>		5. PROJECT NO.(If applicable)	
6. ISSUED BY USA ENGINEER DISTRICT, NEW YORK ATTN: CENAN-CT ROOM 1843 26 FEDERAL PLAZA (DACA51) NEW YORK NY 10278-0090		CODE <div style="text-align: center;">DACA51</div>		7. ADMINISTERED BY (If other than item 6) <div style="text-align: center; font-weight: bold;">See Item 6</div>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. DACA51-02-R-0016	
				X		9B. DATED (SEE ITEM 11) 12-Jul-2002	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) This solicitation is amended as follows: SEE SF30 CONTINUATION PAGE							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 26-Jul-2002	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

AMENDMENT 0001

This amendment incorporates the following changes/comments:

1. Addition of the Medical Equipment Data List, dated 05Jun2002, Volume A;
2. Expanded Price Schedule for SLINs 0003AA and 0003AB as an attachment (for evaluation purposes only);
3. Incorporates changes to Section 01010;
4. Provides List of Acronyms;
5. No formal site visit to be scheduled by the Gov't;
6. No request for proposal extension will be accepted based on individual site visit;

SECTION 00010 - SOLICITATION CONTRACT FORM

The required response date/time has changed from 19-Jul-2002 12:00 PM to 19-Aug-2002 11:00 AM.

The contractor period of performance begin 10 has been deleted.

The description of performance FAR 52.211-10 has been added.

The contractor period of performance end 435 has been deleted.

The required performance has changed from COMPOSITE MEDICAL FACILITY REPLACEMENT, THULE AIR BASE, THULE, GREENLANDSECTION DESCRIPTION00120 PROPOSAL EVALUATION AND GENERAL SCORING SYSTEM00901 THULE AIR BASE REGULATION 400-2 LOGISTICS00902 AFSPACECOM REGULATION 75-04: TRANSPORTATION FACILITIES AND ACTIVITIES REIMBURSEABLE EXPENSE00903 2002 PACER GOOSE RESUPPLY SHIPPING INSTRUCTIONS to COMPOSITE MEDICAL FACILITY REPLACEMENT, THULE AIR BASE, THULE, GREENLANDSECTION DESCRIPTION00010 SOLICITATION, OFFER, AND AWARD00110 SUBMISSION REQUIREMENTS AND INSTRUCTIONS00120 PROPOSAL EVALUATION AND GENERAL SCORING SYSTEM00800 SPECIAL CONTRACT REQUIREMENT.

SUBCLIN 0003AA

The CLIN extended description has changed from Government furnished transportation from Norfolk, VA to Thule Air Force Base to All Government furnished transportation from Norfolk, VA to Thule Air Force Base, Greenland (Price Breakdown for this CLIN must be provided in attached worksheet entitled "Price Schedule - Government Transportation [CLIN 0003AA]).

SUBCLIN 0003AB

The CLIN extended description has changed from Transportation : Government furnished transportation from Denmark to Thule Air Force Base. to Transportation : Government furnished transportation from Denmark to Thule Air Force Base, Greenland (Price Breakdown for this CLIN must be provided in attached worksheet entitled "Price Schedule - Transportation from Denmark [CLIN 0003AB]).

SECTION 00100 - BIDDING SCHEDULE/INSTRUCTIONS TO BIDDERS

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	MEDICAL FACILITY REPLACEMENT, THULE AIR FORCE BASE FFP Base Bid: Contractor shall furnish all labor, material, plant and equipment necessary to construct a new MEDICAL FACILITY REPLACEMENT @THULE, AIR FORCE BASE, PN 056788, (Excluding the items listed sbelow) PURCHASE REQUEST NUMBER: W16ROE-2141-0901	1	Lump Sum		

NET AMT

FOB: Destination

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002	Base Bid item FFP Site Work	1	Lump Sum		

NET AMT

FOB: Destination

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0003	Transportation FFP Government-furnished transportation in accordance with the attached formulas for CLIN 0003 (0003AA & 0003AB).				

NET AMT

FOB: Destination

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0003AA	Transportation FFP All Government furnished transportation from Norfolk, VA to Thule Air Force Base, Greenland (Price Breakdown for this CLIN must be provided in attached worksheet entitled "Price Schedule - Government Transportation [CLIN 0003AA]).	1	Lump Sum		

NET AMT

FOB: Destination

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0003AB	Transporttion FFP Transportation : Government furnished transportation from Denmark to Thule Air Force Base, Greenland (Price Breakdown for this CLIN must be provided in attached worksheet entitled "Price Schedule - Transportation from Denmark [CLIN 0003AB]).	1	Lump Sum		

NET AMT

FOB: Destination

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0004	Design FFP All Design services	1	Lump Sum		

NET AMT

FOB: Destination

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0005	Option 1 FFP Perforated Matel Panels	1	Lump Sum		

NET AMT

FOB: Destination

The following have been added by full text:

AMENDMENT 0001

1) General Comment - throughout the Solicitation, mostly applies to Section 01010:

List of acronyms:

CMF - Composite Medical Facility

TAB - Thule Air Base

FEP - Facilities Excellence Plan

TSRM - Telephone Station Requirements Matrix

SID – Structural Interior Design

2) General Comment - throughout Section 01010: Any references to Design-Build contractor or D-B contractor or D-B, or Communications Design-Build contractor (CDBC), etc. all refer to the contractor awarded this design-build contract.

3) General Information – In the solicitation Sections 4, 5 and 6 are mentioned. Section 4 is the Thule Air Base Sterilization and Disposal of Medical Waste (which is already included). Section 5 is a reference to the Project Schedule (which is being added by this amendment). Section 6 is the Medical Equipment Data (which is being added by this amendment).

4) Section 01010, page 7, paragraph 1.2.1 -

All referenced sections or volumes in this paragraph are attached in this D-B package, though they may have been re-labeled. Disregard the named reference locations shown, NOT the reference documents themselves.

5) Section 01010, page 10, paragraph 1.3 –

Delete the last sentence of this paragraph and add the following sentences.

“ The list of technical specifications required for the project include those listed in Section 1010A, Design Build Specifications List. Section 01030 describes the Design Submittal Requirements.”

6) Section 01010, page 10, para. 1.5 –

Refers to CEGS. Change the reference to UFGS, which stands for Unified Federal Guide Specifications. The old reference is to the Corps of Engineers Guide Specs. This replacement will also apply to anywhere else in this solicitation where CEGS appears.

7) Section -01010, page 15, para. 1.10.2 -

For clarification, the purchase and installation of the actual CID furnishings is not part of this contract. A CID submittal will be required, for Government approval; however, the Air Force will procure and install the furnishings under a separate procurement.

8) Section 01010, page 16, para. 1.11.3 – Disposal of Waste Materials

Additional information – Details on the disposal of Hazardous Wastes is further discussed in the Volume A attachments, under Thule Air Base Hazardous Waste Management Plan.

9) Section 01010, page 19, para. 1.13.6.a -

Add the following requirement to this paragraph, “When relocating utilities, new utility lines shall be installed prior to demolition of existing utilities to minimize utility outage lengths.”

10) Section 01010, page 19, para. 1.13.6.d -

Revise the existing paragraph “d.” as follows; references and requirements for trenching have been deleted:

“ d. Foundation: The geotechnical report evaluates that the soil conditions are suited for a traditional shallow foundation on the surface of a gravel pad with a clear airspace between the ***underside of the structure*** and the ground surface for ventilation. Individual column footings are recommended. The geotechnical report recommends excavating the site to a minimum depth of approx. 1.8m to reach the undisturbed permafrost layer. The report also recommends that the thickness of the foundation fill pad should be at least 2.1m in order to insure the insulation of the permafrost layer. Regarding these activities, it must kept in mind that all excavated existing earth cannot be reused as structural fill for the new foundation pad; hence it must be used only as secondary fill. This can be done either on the site or other nearby locations or be removed and deposited somewhere else. - ***The Drawings detail a proposed foundation system, which requires the full excavation of the site from a minimum depth of approx. 1.80m to a maximum of approx. 2.25m below existing grade. The foundation pad to be placed into the excavation shall be a minimum thickness of approx. 1.90m to a maximum of approx. 3.20m. This will create a slope on the top of the pad with a maximum gradient of 1.25% sloped down east and west away from Column Line G which shall be the high point of the pad. The high point of the pad at its east side will be situated below the top of existing grade around it, and this will require partial regarding of 2nd Street and the site directly adjacent to the pad. The existing swale in the center of the site shall be shifted to the south side during this process. The low end of the pad (west side) shall be approx. 1.49m above existing grade and shall be sloped down to existing grade at various gradients within a distance of 10ft to 13ft from the edge of the pad.*** For bearing capacities and compaction of gravel pad, etc., refer to the geotechnical investigation report. The Contractor is free to suggest and price alternative foundation systems.”

11) Section 01010, page 23, para. 1.15.3 – Metering

Delete this paragraph in its entirety without replacement. No master metering is required.

12) Section 01010, page 24, para. 1.18.1 – Water Laterals

Delete the last sentence of this paragraph. All utility lines are above ground, none will be buried, therefore, any references to earth cover are mute.

13) Section 01010, page 27, para. 1.20.3 – Windows

Revise the first sentence in this paragraph to include laminated glass, thus it shall read as follows: "Windows shall be aluminum clad wood, laminated glass, triple panel, casement type."

14) Section 01010, page 31, para. 1.23.4 – CID Coordination & Installation

Revise the existing paragraph. The Contractor will not be purchasing or installing the CID furniture. The contractor will only be required to develop a CID package for Government review and approval. Only the first two sentences of this paragraph apply, delete the rest of the paragraph.

15) Section 01010, page 32, para. 1.24.1 –

Delete any references to "D-BDI". Delete the last sentence of this paragraph.

16) Section 01010, page 34, para. 1.26.2 – Plumbing Design References

References a, b, and c are to be deleted and replaced with:

- "a. New York District Engineering Design Manual for Military Construction.
- b. draft 2001 MIL-HDBK-1191"

17) Section 01010, page 51, para. 1.28.1 -

Delete reference to the letters AEI-MDS (Architectural & Engineering Instructions – Medical Design Standards).

18) Section 01010, page 77, para. 1.30 – Communications Design

(a) Throughout the paragraph and its sub-paragraphs, references are made to the development of the cost estimate and cost data. Disregard this requirement; this is not required for this contract.

(b) Throughout this paragraph and its sub-paragraphs, any references to Design-Build contractor or D-B contractor or D-B, or Communications Design-Build contractor (CDBC), etc. all refer to the contractor awarded this design-build contract.

19) Section 01010, page 80, para. 1.30.17 –

This paragraph calls for credentials of the fire protection engineer. Paragraph 1.27.1 is referenced for the acceptable qualifications of that fire protection designer.

20) Section 01030, page 51, para. 1.2 –

Delete the reference to Section 01020 and replace with the reference for Section 01010. Also delete the reference to the AFMC Architectural Compatibility Standards & delete reference "c".

21) Section 01030, page 24, para. 1.19 –

Delete the paragraph in its entirety without substitution. Cost Engineering is not required.

22) Section 01030, page 27, para. 1.20.18 –

Delete the paragraph in its entirety without substitution. Cost Engineering is not required.

23) Section 01030, page 27, para. 1.21, sub-paragraph e.

Delete the requirement for a Cost Estimate and ENG FORM 3086.

24) Section 1010A – List of Design Specifications

Delete the reference to Section 1020 Design Requirements.

25) Medical Equipment Data – This data is being attached to this amendment.

26) Project Schedule – This conceptual schedule is also being attached to this amendment.

27) Section 00100 – Instructions, Conditions & Notice To Bidders - Appears to be listed twice. One section is a continuation of the other. All information in both applies.

28) Price Schedule – Delete the old Price Schedule and insert the attached Price Schedule in its entirety.

29) Section 01010, page 29, para. 1.21.3.7 – X-Ray Systems

Delete the existing paragraph in its entirety and replace with the following paragraph:

" The project shall require that the Design-Build Contractor complete portions of this report, which may be obtained from the Corps of Engineers. Upon the completion of the design and prior to the start of construction, the contractor shall complete Section I, Lines .a. through I.h. ("Available" column only) and Section III, Lines .a. (in kg/m² not "lbs/ m²" as written on the form), only."

30) Section 01010, page 58, para. 1.28.11.3 – Heating Plant System Design

Delete the existing paragraph and substitute with the following:

"Heating energy for the building heating and process use shall be acquired from the base district steam system. Provide heat exchangers and ventilation heat recovery system as indicated consisting of heat transfer coils in ductwork systems, circulating pumps, piping, and controls."

PRICE SCHEDULE FOR EVALUATIONPRICE SCHEDULE – GOVERNMENT TRANSPORTATION (CLIN No.
0003AA)

<u>Item No.</u>	<u>Description</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Estimated Quantity</u>	<u>Estimated Amount</u>
1.1	Transportation Norfolk to Thule, Sealift + Port Handling				
1.1	(1) General cargo @ \$72.45 + \$76.50	M.T.	\$148.95	_____	_____
1.1	(2) Wood Products, Unboxed: @ \$72.45 + \$77.00	M.T.	\$149.45	_____	_____
1.1	(3) Metal Products, Unboxed: @ \$72.45 + \$41.75	M.T.	\$114.20	_____	_____
1.1	(4) Vehicles 10,000 lbs or less: @ \$109.90 + \$ 27.29	M.T.	\$137.19	_____	_____
1.1	(5) Vehicles Over 10,000 lbs: @ \$109.90 + \$29.05	M.T.	\$138.95	_____	_____

Total Transportation cost (1.1 (1) through 1.1 (5)) _____

PRICE SCHEDULE – GOVERNMENT TRANSPORTATION (Continued) (CLIN No.
0003AA)

<u>Item No.</u>	<u>Description</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Estimated Quantity</u>	<u>Estimated Amount</u>
1.1	Transportation Thule to Norfolk, Sealift + Port Handling (Retro-grade)				
1.1	(1) General cargo @ \$72.45 + \$64.00	M.T.	\$136.45	_____	_____
1.1	(2) Wood Products, Unboxed: @ \$72.45 + \$52.44	M.T.	\$124.89	_____	_____
1.1	(3) Metal Products Unboxed: @ \$72.45 + \$80.25	M.T.	\$152.70	_____	_____
1.1	(4) Vehicles 10,000 lbs or less: @ \$109.90 + \$ 21.66	M.T.	\$131.56	_____	_____
1.1	(5) Vehicles Over 10,000 lbs: @ \$109.90 + \$ 20.76	M.T.	\$130.66	_____	_____

Total Transportation cost (1.1 (1) through 1.1 (5)) _____

Grand Total Transportation costs 1.1 (1) through 1.1(5)
(Total this page + total from previous page)

Insert to Item 0003AA of the Price Schedule.

PRICE SCHEDULE - TRANSPORTATION FROM DENMARK (CLIN Item No. 0003AB)

SCHEDULE OF RATES FROM DENMARK TO
THULE AIR BASE AND RETURN
(Rates From Contract with Royal Arctic Line A/S F61101-00-D0001)

CLIN No. 0003AB:

<u>ITEM No.</u>	<u>Description</u>	<u>Unit*</u> (DKR)	<u>Unit Price</u>	<u>Estimated Quantity</u>	<u>Estimated Amount</u>
<u>General Cargo-Unitized</u>					
0003AB1	Cargo under 600 kg/CM	CM	455.00	_____	
0003AB2	Cargo over 600 kg/CM	KG	0.79	_____	
<u>General Cargo-Non-Unitized</u>					
0003AB3	Cargo under 600 kg/CM	CM	520.00	_____	
0003AB4	Cargo over 600 kg/CM	KG	0.88	_____	
<u>Lumber - Unitized</u>					
0003AB5	Cargo under 800 kg/CM	CM	445.00	_____	
0003AB6	Cargo over 800 kg/CM	KG	0.55	_____	
<u>Lumber-Non-Unitized</u>					
0003AB7	Cargo under 800 kg/CM	CM	510.00	_____	
0003AB8	Cargo over 800 kg/CM	KG	0.60	_____	
0003AB9	Cement- Unitized	KG	0.40	_____	-
<u>Motor Vehicles</u>					
0003AB10	Less than 1000 KG	EA	8,000	_____	
0003AB11	1001 through 1200 KG	EA	11,000	_____	

0003AB12	1201 through 1500 KG	EA	12,000	_____

0003AB13	1501 through 2500 KG	EA	14,000	_____

PRICE SCHEDULE - TRANSPORTATION FROM DENMARK (*continued*)
(CLIN Item No. 0003AB)

SCHEDULE OF RATES FROM DENMARK TO
THULE AIR BASE AND RETURN

Heavy Machinery

0003AB14	Less than 2500 KG	M2	570.00	_____
<hr/>				
0003AB15	2501 through 7500 KG	M2	570.00	_____
<hr/>				
0003AB16	7501 through 15000 KG	M2	1,275	_____
<hr/>				

Grand Total Transportation Cost (Item 0003AB1 through 0003AB16)

Insert to CLIN Item 0003AB of the Price Schedule.

NOTES:

1. *Explanation of Units
 CM is cubic meters
 KG is kilograms
 M2 is meters squared
 M.T. is Measurement Ton (40 cubic feet) which equals 1.12 cubic meters
2. "Transportation Furnished from Denmark" means that the U.S. Embassy will provide a ship from Denmark to Thule AB, however, it is not free. The Contractor shall reimburse the U.S. Embassy in Denmark the carrier cost for the transportation. This is not considered Government Furnished Transportation.
3. All Offerors have the option to bid in U.S. Dollars or Danish Kroners. The currency used shall be indicated on the Price Schedule. For the purpose of comparing bid offerors, the Contracting Officer will use the following exchange rate, established annually by the U.S. Comptroller's Office, of \$1 equals 9.5300 DKR.
4. Construction Award will not include Government Furnished Transportation.
5. Contractors not utilizing Government Furnished Transportation shall include shipping costs in their Base Bid Items, as applicable. In such cases, the applicable transportation price schedule should be marked "NOT APPLICABLE".
6. See Sections 01010 and 01020 for additional information concerning evaluation factors for award.
7. Optional item(s) shall be exercise within 90 calendars days of the construction contract award date.
8. The Contractor shall be billed for all quantities over the amount stated in the bid items for Government Furnished

Transportation or shall ship at his own expense through private carrier all items over the amounts stated in the bid items.

The following have been deleted:

GOVERNMENT TRANSPORTATION

SECTION 00700 - CONTRACT CLA USES

The following have been added by reference:

52.245-1	Property Records	APR 1984
52.245-2	Government Property (Fixed Price Contracts)	DEC 1989
52.245-3	Identification of Government-Furnished Property	APR 1984
252.227-7023	Drawings and Other Data to become Property of Government	MAR 1979

The following have been added by full text:

52.252-4 ALTERATIONS IN CONTRACT (APR 1984)

Portions of this contract are altered as follows:

SEE SECTION 00800, PARA. 17 ENTITLED "ALTERATIOINS IN CONTRACT".

(End of clause)

SECTION 00800 - SPECIAL CONTRACT REQUIREMENTS

The following have been added by reference:

52.228-15	Performance and Payment Bonds--Construction	JUL 2000
52.229-6	Taxes--Foreign Fixed-Price Contracts	JAN 1991
52.236-6	Superintendence by the Contractor	APR 1984
52.236-21	Specifications and Drawings for Construction	FEB 1997
252.236-7001	Contract Drawings, Maps, and Specifications	AUG 2000

The following have been added by full text:

52.211-10 COMMENCEMENT, PROSECUTION, AND COMPLETION OF WORK (APR 1984)

The Contractor shall be required to (a) commence work under this contract within **10** calendar days after the date the Contractor receives the notice to proceed, (b) prosecute the work diligently, and (c) complete the entire work ready for use not later than 31 Dember 2004. * The time stated for completion shall include final cleanup of the premises.

*The Contracting Officer shall specify either a number of days after the date the contractor receives the notice to proceed, or a calendar date.

(End of clause)

52.211-12 LIQUIDATED DAMAGES--CONSTRUCTION (SEP 2000)

(a) If the Contractor fails to complete the work within the time specified in the contract, the Contractor shall pay liquidated damages to the Government in the amount of \$565.00 for each calendar day of delay until the work is completed or accepted.

(b) If the Government terminates the Contractor's right to proceed, liquidated damages will continue to accrue until the work is completed. These liquidated damages are in addition to excess costs of repurchase under the Termination clause.

(End of clause)

52.236-14 AVAILABILITY AND USE OF UTILITY SERVICES (APR 1984)

(a) The Government shall make all reasonably required amounts of utilities available to the Contractor from existing outlets and supplies, as specified in the contract. Unless otherwise provided in the contract, the amount of each utility service consumed shall be charged to or paid for by the Contractor at prevailing rates charged to the Government or, where the utility is produced by the Government, at reasonable rates determined by the Contracting Officer. The Contractor shall carefully conserve any utilities furnished without charge.

(b) The Contractor, at its expense and in a workmanlike manner satisfactory to the Contracting Officer, shall install and maintain all necessary temporary connections and distribution lines, and all meters required to measure the amount of each utility used for the purpose of determining charges. Before final acceptance of the work by the Government, the Contractor shall remove all the temporary connections, distribution lines, meters, and associated paraphernalia.

(End of clause)

52.232-5000 PAYMENT FOR MATERIALS DELIVERED OFF-SITE (MAR 1995)--EFARS

(a) Pursuant to FAR clause 52.232-5, Payments Under Fixed Priced Construction Contracts, materials delivered to the contractor at locations other than the site of the work may be taken into consideration in making payments if included in payment estimates and if all the conditions of the General Provisions are fulfilled. Payment for items delivered to locations other than the work site will be limited to: (1) materials required by the technical provisions; or (3) materials that have been fabricated to the point where they are identifiable to an item of work required under this contract.

(b) Such payment will be made only after receipt of paid or receipted invoices or invoices with canceled check showing title to the items in the prime contractor and including the value of material and labor incorporated into the item. In addition to petroleum products, payment for materials delivered off-site is limited to the following items: _(SEE ATTACHED SECTION 00800)_

(End of clause)

(End of Summary of Changes)

COMPOSITE MEDICAL FACILITY (CMF) REPLACEMENT
THULE AIR BASE, GREENLAND

MEDICAL EQUIPMENT DATA

Composite Medical Facility (CMF) Replacement

Thule Air Base, Greenland



Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 102 CLINIC LOBBY										
A6046	Artwork, Decorative, With Frame	3	C	<input type="checkbox"/>
F0305	Chair, Waiting Room, Single	7	C	<input type="checkbox"/>
F0740	Table, Occasional, Lamp, 20 x 27 x 27	3	C	<input type="checkbox"/>
R2202	Fountain, Water, CRS, Wall Mounted, Handicap	1	A	<input type="checkbox"/>	B	B
Room 104 ADMIN										
E0099	Workstation, Corner Work Surf, Free Stand, 72x96	7	C	<input type="checkbox"/>	.	A
F0205	Chair, Side With Arms	5	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	5	C	<input type="checkbox"/>
F0415	Cabinet, Filing, Lateral, Full Height, 5 Drawer	7	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	5	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	5	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	5	C	<input type="checkbox"/>	.	A
M2070	Shelving, Storage, 77hx36wx18d	11	C	<input type="checkbox"/>
Room 105 RECEPTION										
A6105	Counter, Control, Inpatient, Built-In	1	A	<input type="checkbox"/>	.	A
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F0750	Table, Office, (size as required)	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	3	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	2	C	<input type="checkbox"/>	.	A
M1810	Copier, Floor Standing, w/Collator	1	C	<input type="checkbox"/>	.	B
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
M1855	Facsimile Machine	1	C	<input type="checkbox"/>	.	A
Room 106 CORR										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	1	A	<input checked="" type="checkbox"/>
C03E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x30x22	3	A	<input checked="" type="checkbox"/>
CB020	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13	1	A	<input checked="" type="checkbox"/>
CD030	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x30x13	3	A	<input checked="" type="checkbox"/>
CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0205	Chair, Side With Arms	3	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 107 DTR										
A1066	Mirror, Float Glass, With SS Frame, 24X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	2	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	2	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
D0792	Sink, SS, Without Faucet, 8x14x10	2	A	<input type="checkbox"/>	D
D0811	Valve, Water, Foot, With Faucet	2	A	<input type="checkbox"/>	A
D2520	Cabinet, Mobile, Storage/Assistant, Dental	1	C	<input type="checkbox"/>
D3380	Stool, Operating, Dental, Doctor	1	C	<input type="checkbox"/>
D3390	Stool, Operating, Dental, Assistant	1	C	<input type="checkbox"/>
D3565	Resin Curing Unit, Visible Light	1	C	<input type="checkbox"/>	.	A
D6000	Light, Dental Operating, Chair Mount	1	B	<input type="checkbox"/>	.	F
D7090	Utility Center, Dental, Wall or Floor Mounted	1	B	<input type="checkbox"/>	B	A	H	.	.	.
D8250	Delivery System, Dental Operating	1	C	<input type="checkbox"/>	B	B	H	.	.	.
D8850	Amalgamator, Dental	1	C	<input type="checkbox"/>	.	A
D9060	Prophylaxis Unit, Ultrasonic	1	C	<input type="checkbox"/>	J	A	D	.	.	.
D9420	Cabinet, Wall Hung, 2 Sliding Doors, 30x36x12	2	A	<input type="checkbox"/>
D9661	Cabinet, Base, 2 Drawer, 2 Door 31"Hx18"Wx18"D	2	A	<input type="checkbox"/>
D9693	Cabinet, Base, 5 Drawer, 31"Hx18"Wx18"D	2	A	<input type="checkbox"/>
D9836	Cabinet, Base, For sink, 2 Doors, 31"Hx27"Wx18"D	2	A	<input type="checkbox"/>
D9941	Countertop, Laminated, 3/4" x W x 17-1/2"	2	A	<input type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
X1600A	Dental X-ray Cabinet, Pass-thru, 52 1/2"HX49 7/8"WX13 3/4" D	1	A	<input checked="" type="checkbox"/>
X6600	Radiographic Unit, Dental, Wall Mounted, 7 mA	1	F	<input checked="" type="checkbox"/>	.	A	.	.	.	B
X8800	Illuminator, Film, Dental, Portable	1	C	<input type="checkbox"/>	.	A
Room 108 DTR										
A1066	Mirror, Float Glass, With SS Frame, 24X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	2	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	2	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
D0792	Sink, SS, Without Faucet, 8x14x10	2	A	<input type="checkbox"/>	D
D0811	Valve, Water, Foot, With Faucet	2	A	<input type="checkbox"/>	A
D2520	Cabinet, Mobile, Storage/Assistant, Dental	1	C	<input type="checkbox"/>
D3380	Stool, Operating, Dental, Doctor	1	C	<input type="checkbox"/>
D3390	Stool, Operating, Dental, Assistant	1	C	<input type="checkbox"/>
D3565	Resin Curing Unit, Visible Light	1	C	<input type="checkbox"/>	.	A

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 108 DTR										
D6000	Light, Dental Operating, Chair Mount	1	B	<input type="checkbox"/>	.	F
D7090	Utility Center, Dental, Wall or Floor Mounted	1	B	<input type="checkbox"/>	B	A	H	.	.	.
D8250	Delivery System, Dental Operating	1	C	<input type="checkbox"/>	B	B	H	.	.	.
D8850	Amalgamator, Dental	1	C	<input type="checkbox"/>	.	A
D9060	Prophylaxis Unit, Ultrasonic	1	C	<input type="checkbox"/>	J	A	D	.	.	.
D9420	Cabinet, Wall Hung, 2 Sliding Doors, 30x36x12	2	A	<input type="checkbox"/>
D9661	Cabinet, Base, 2 Drawer, 2 Door 31"Hx18"Wx18"D	2	A	<input type="checkbox"/>
D9693	Cabinet, Base, 5 Drawer, 31"Hx18"Wx18"D	2	A	<input type="checkbox"/>
D9836	Cabinet, Base, For sink, 2 Doors, 31"Hx27"Wx18"D	2	A	<input type="checkbox"/>
D9941	Countertop, Laminated, 3/4" x W x 17-1/2"	2	A	<input type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
X8800	Illuminator, Film, Dental, Portable	1	C	<input type="checkbox"/>	.	A
Room 109 PHARMACY										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
E0612	Shelf Unit, Pharmacy, Wall Mtd, 88"Hx48"Wx16"D	2	F	<input type="checkbox"/>
E0618	Shelves, Pharmacy, Wall Mtd, Tall, 88"Hx48"Wx16"D	1	F	<input type="checkbox"/>
E0645	Station, Picking, Pharm, Straight, Wall Mtd, 144"W	1	F	<input type="checkbox"/>	D
E0706	Table, Process, Adj Height, 5 Drawer, 60"W x 24"D	2	C	<input type="checkbox"/>
F0230	Chair, Drafting, Rotary	3	C	<input type="checkbox"/>
F3105	Safe, F/S , Class 5	1	C	<input type="checkbox"/>
M2015	Cabinet, Storage, Flammable, Freestanding	1	C	<input type="checkbox"/>
P2000	Station, Wash, Eye, Wall Mounted	1	A	<input type="checkbox"/>	B
Room 110 TLT PUB UNISEX										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A4995	Table, Diaper Changing, Wall Mounted, VERT	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 111 TLT PUB UNISEX										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A4995	Table, Diaper Changing, Wall Mounted, VERT	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 112 CHARGE NURSE										
A6105	Counter, Control, Inpatient, Built-In	1	A	<input type="checkbox"/>	.	A
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	2	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
M1855	Facsimile Machine	1	C	<input type="checkbox"/>	.	A
M2070	Shelving, Storage, 77hx36wx18d	8	C	<input type="checkbox"/>
Room 113 EKG ROOM										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1132	Rail, Accessory Mounting, Length As Required	1	C	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	<input type="checkbox"/>
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	C	<input type="checkbox"/>	.	A
E0912	Locker, Supply, Med Surg, Wall Mtd, 23"W x 20"D	1	C	<input type="checkbox"/>
E1500	Rail, MOD, W/MNTD, HX144XD	1	C	<input type="checkbox"/>
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	<input checked="" type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 113 EKG ROOM										
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M4655	Stretcher, Mobile, CRS, 9 Position	1	C	<input type="checkbox"/>
M7710	Electrocardiograph, 12 Lead, Portable	1	C	<input type="checkbox"/>	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
Room 114 EXAM/OFFICE										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1132	Rail, Accessory Mounting, Length As Required	2	C	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	3	A	<input checked="" type="checkbox"/>
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	<input type="checkbox"/>
E0054	Workstation, L-Shaped, Wall Mounted, 72x60	1	C	<input type="checkbox"/>	.	A
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	<input type="checkbox"/>
F0205	Chair, Side With Arms	3	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	<input checked="" type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	1	C	<input type="checkbox"/>	.	A
M9025	Table, Examination/Treatment, With Cabinet	1	C	<input type="checkbox"/>	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
X3930	Illuminator, Film, Double, Wall Mounted, 20x29x6	1	C	<input checked="" type="checkbox"/>	.	A
Room 115 EXAM/OFFICE										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1132	Rail, Accessory Mounting, Length As Required	2	C	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	3	A	<input checked="" type="checkbox"/>
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	<input type="checkbox"/>
E0054	Workstation, L-Shaped, Wall Mounted, 72x60	1	C	<input type="checkbox"/>	.	A
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 115 EXAM/OFFICE										
F0205	Chair, Side With Arms	3	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	<input checked="" type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M7401	Light, Exam, Mobile, Spotlight, Mobile Stand	1	C	<input type="checkbox"/>	.	A
M9025	Table, Examination/Treatment, With Cabinet	1	C	<input type="checkbox"/>	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
X3930	Illuminator, Film, Double, Wall Mounted, 20x29x6	1	C	<input checked="" type="checkbox"/>	.	A
Room 116 AUDIO BOOTH										
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F0280	Chair, Swivel, Low Back	1	C	<input type="checkbox"/>
F0295	Chair, Stacking, 34 X 21 X 24	1	C	<input type="checkbox"/>
F0750	Table, Office, (size as required)	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0030	Audiometer, Diagnostic	1	C	<input type="checkbox"/>	.	A
M0050	Booth, Audio, Dbl Wall, Definitive Test, 1 Person	1	A	<input type="checkbox"/>	.	F	.	.	.	E
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	<input checked="" type="checkbox"/>
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
Room 118 TREATMENT CAST ROOM										
A1132	Rail, Accessory Mounting, Length As Required	1	C	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
C03F0	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36x30x22	1	A	<input checked="" type="checkbox"/>
C03P0	Cabinet, Sink, U/C/B, 2 Door, 36x30x22	1	A	<input checked="" type="checkbox"/>
CE030	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x30x13	1	A	<input checked="" type="checkbox"/>
CS150	Sink, SS, Single Compartment, 10x19x16 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
E0915	Locker, Supply, Medication, Wall Mtd, 23"W x 20"D	1	C	<input type="checkbox"/>
E0954	Cart, Emergency, Mobile, 66"H x 52"W x 22"D	1	C	<input type="checkbox"/>
E1500	Rail, MOD, W/MNTD, HX144XD	1	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 118 TREATMENT CAST ROOM										
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	<input checked="" type="checkbox"/>
M1802	Wall Mounted, Fold Down Computer	1	C	<input type="checkbox"/>	.	A
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M4255	Stand, IV, Adjustable	1	C	<input type="checkbox"/>
M4266	Pump, Volumetric, Infusion, Multiple Line	1	C	<input type="checkbox"/>	.	A
M4665	Stretcher, Recovery, Surgical	1	C	<input type="checkbox"/>
M7405	Light, Exam, Ceiling Mounted	1	A	<input type="checkbox"/>	.	F
M7660	Defibrillator/Monitor/Recorder, Portable	1	C	<input type="checkbox"/>	.	A
M7710	Electrocardiograph, 12 Lead, Portable	1	C	<input type="checkbox"/>	.	A
M7905	Oximeter, Pulse	1	C	<input type="checkbox"/>	.	A
M8810	Stand, Mayo	1	C	<input type="checkbox"/>
X3930	Illuminator, Film, Double, Wall Mounted, 20x29x6	1	C	<input checked="" type="checkbox"/>	.	A
Room 119 NURSING										
E0903	Locker, Supply, w/Shelves, Wall Mtd, 23"W x 20"D	3	C	<input type="checkbox"/>
E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	2	C	<input type="checkbox"/>
E0912	Locker, Supply, Med Surg, Wall Mtd, 23"W x 20"D	4	C	<input type="checkbox"/>
E0921	Transporter, Locker, Supply, 27"W x 25"D	1	C	<input type="checkbox"/>
E1500	Rail, MOD, W/MNTD, HX144XD	3	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
M2070	Shelving, Storage, 77hx36wx18d	4	C	<input type="checkbox"/>
Room 121 NOURISHMENT										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
C03E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x30x22	2	A	<input checked="" type="checkbox"/>
C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	1	A	<input checked="" type="checkbox"/>
C04P0	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	1	A	<input checked="" type="checkbox"/>
CD040	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13	3	A	<input checked="" type="checkbox"/>
CS230	Sink, SS, Double Compartment, 10x14x16 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F2020	Can, Trash, 44 Gallon	1	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 121 NOURISHMENT										
K0810	Blender, Heavy Duty, 1/2 Gal, CRS Bowl	1	C	<input type="checkbox"/>	.	A
K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	1	C	<input type="checkbox"/>	B	A
K4665	Oven, Microwave, Consumer	1	C	<input type="checkbox"/>	.	A
K8250	Toaster, Pop-Up, 4 Slice, Electric	1	C	<input type="checkbox"/>	.	C
R4400	Ice Maker, Cubes, 34x25x17	1	A	<input type="checkbox"/>	B	B
R7250	Refrigerator/Freezer, 20 Cubic Feet	1	C	<input type="checkbox"/>	.	A
Room 122 DAY ROOM										
F0305	Chair, Waiting Room, Single	2	C	<input type="checkbox"/>
F0375	Sofa, Upholstered	1	C	<input type="checkbox"/>
F0470	Cabinet, Television / Video Recorder	1	C	<input type="checkbox"/>	.	A
F0740	Table, Occasional, Lamp, 20 x 27 x 27	1	C	<input type="checkbox"/>
F2420	Lamp, Table, With Shade	1	C	<input type="checkbox"/>	.	A
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0500	Television, Color, 20" Diagonal	1	C	<input type="checkbox"/>	.	A
Room 126 BEDROOM PAT										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
A6010	Bumper, Wall, Bed	1	A	<input checked="" type="checkbox"/>
C0023	Cabinet, Wardrobe, 1 Door, 84x15x22	1	A	<input type="checkbox"/>
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0260	Chair, High Back, Patient	1	C	<input type="checkbox"/>
F0400	Cabinet, Bedside, Door, Drawer, 31 x 21 x 19	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0505	Television, Color, Bedside	1	C	<input type="checkbox"/>	.	F
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M7007	Bed, Patient, Electric, Special Care	1	C	<input type="checkbox"/>	.	A
M7040	Table, Overbed	1	C	<input type="checkbox"/>
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	1	A	<input type="checkbox"/>	D
Room 127 PAT BATH										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 127 PAT BATH										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B

Room 128 BEDROOM PAT

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
A6010	Bumper, Wall, Bed	1	A	<input checked="" type="checkbox"/>
C0023	Cabinet, Wardrobe, 1 Door, 84x15x22	1	A	<input type="checkbox"/>
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0260	Chair, High Back, Patient	1	C	<input type="checkbox"/>
F0400	Cabinet, Bedside, Door, Drawer, 31 x 21 x 19	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0505	Television, Color, Bedside	1	C	<input type="checkbox"/>	.	F
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M7007	Bed, Patient, Electric, Special Care	1	C	<input type="checkbox"/>	.	A
M7040	Table, Overbed	1	C	<input type="checkbox"/>
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	1	A	<input type="checkbox"/>	D

Room 129 PAT BATH

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 129 PAT BATH										
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B

Room 130 BEDROOM PAT

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
A6010	Bumper, Wall, Bed	1	A	<input checked="" type="checkbox"/>
C0023	Cabinet, Wardrobe, 1 Door, 84x15x22	1	A	<input type="checkbox"/>
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0260	Chair, High Back, Patient	1	C	<input type="checkbox"/>
F0400	Cabinet, Bedside, Door, Drawer, 31 x 21 x 19	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0505	Television, Color, Bedside	1	C	<input type="checkbox"/>	.	F
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M7007	Bed, Patient, Electric, Special Care	1	C	<input type="checkbox"/>	.	A
M7040	Table, Overbed	1	C	<input type="checkbox"/>
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	1	A	<input type="checkbox"/>	D

Room 131 PAT BATH

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 131 PAT BATH										
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B

Room 132 BEDROOM PAT

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
A6010	Bumper, Wall, Bed	1	A	<input checked="" type="checkbox"/>
C0023	Cabinet, Wardrobe, 1 Door, 84x15x22	1	A	<input type="checkbox"/>
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0260	Chair, High Back, Patient	1	C	<input type="checkbox"/>
F0400	Cabinet, Bedside, Door, Drawer, 31 x 21 x 19	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0505	Television, Color, Bedside	1	C	<input type="checkbox"/>	.	F
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M7007	Bed, Patient, Electric, Special Care	1	C	<input type="checkbox"/>	.	A
M7040	Table, Overbed	1	C	<input type="checkbox"/>
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	1	A	<input type="checkbox"/>	D

Room 133 PAT BATH

A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 133 PAT BATH										
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 134 BEDROOM ON CALL										
A1066	Mirror, Float Glass, With SS Frame, 36X18	2	A	<input checked="" type="checkbox"/>
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5075	Dispenser, Soap, Disposable	2	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
A6010	Bumper, Wall, Bed	1	A	<input checked="" type="checkbox"/>
C0023	Cabinet, Wardrobe, 1 Door, 84x15x22	1	A	<input type="checkbox"/>
CT030	Countertop, High Pressure Laminate	2	A	<input type="checkbox"/>
F0260	Chair, High Back, Patient	1	C	<input type="checkbox"/>
F0400	Cabinet, Bedside, Door, Drawer, 31 x 21 x 19	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0505	Television, Color, Bedside	1	C	<input type="checkbox"/>	.	F
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M7007	Bed, Patient, Electric, Special Care	1	C	<input type="checkbox"/>	.	A
M7040	Table, Overbed	1	C	<input type="checkbox"/>
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	2	A	<input type="checkbox"/>	D
Room 135 TOILET/SHWR										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 135 TOILET/SHWR										
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 136 ANTE										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	1	C	<input checked="" type="checkbox"/>
CA020	Cabinet, Open, W/H, 2 Shelf, Sloping Top, 38x24x13	1	A	<input checked="" type="checkbox"/>
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	1	C	<input type="checkbox"/>
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
P3070	Lavatory, Vitreous China, Under or Counter Top Mtd	1	A	<input type="checkbox"/>	D
Room 137 BEDROOM ISOLATION										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
A6010	Bumper, Wall, Bed	1	A	<input checked="" type="checkbox"/>
C0023	Cabinet, Wardrobe, 1 Door, 84x15x22	1	A	<input type="checkbox"/>
F0260	Chair, High Back, Patient	1	C	<input type="checkbox"/>
F0400	Cabinet, Bedside, Door, Drawer, 31 x 21 x 19	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0505	Television, Color, Bedside	1	C	<input type="checkbox"/>	.	F
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M7007	Bed, Patient, Electric, Special Care	1	C	<input type="checkbox"/>	.	A
M7040	Table, Overbed	1	C	<input type="checkbox"/>
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
Room 138 ISO PAT BATH										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 138 ISO PAT BATH										
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 139 LIT/WC/CRASH										
E0954	Cart, Emergency, Mobile, 66"H x 52"W x 22"D	1	C	<input type="checkbox"/>
M4655	Stretcher, Mobile, CRS, 9 Position	1	C	<input type="checkbox"/>
M4705	Wheelchair, Patient Transport, Folding	1	C	<input type="checkbox"/>
M7660	Defibrillator/Monitor/Recorder, Portable	1	C	<input type="checkbox"/>	.	A
Room 140 CONSULT ISO EXAM										
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	<input type="checkbox"/>
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	<input type="checkbox"/>
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	3	C	<input type="checkbox"/>	.	.	B	.	.	.
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4116	Monitor, Vital Signs	1	C	<input type="checkbox"/>	.	A
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M4250	Pump, Syringe, Infusion	1	C	<input type="checkbox"/>	.	A
M4255	Stand, IV, Adjustable	1	C	<input type="checkbox"/>
M4266	Pump, Volumetric, Infusion, Multiple Line	1	C	<input type="checkbox"/>	.	A
M4665	Stretcher, Recovery, Surgical	1	C	<input type="checkbox"/>
M4816	Warming Unit, Patient, Automatic/Manual, Air	1	C	<input type="checkbox"/>	.	A
M7405	Light, Exam, Ceiling Mounted	1	A	<input type="checkbox"/>	.	F

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 140 CONSULT ISO EXAM										
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
M7845	Monitor, Physiological, Bedside, 4 Channel	1	C	<input type="checkbox"/>	.	A	.	.	.	D
M7905	Oximeter, Pulse	1	C	<input type="checkbox"/>	.	A
M8810	Stand, Mayo	1	C	<input type="checkbox"/>
Room 141 TLT PAT										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 142 RECOVER										
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	<input type="checkbox"/>
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	<input type="checkbox"/>
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	3	C	<input type="checkbox"/>	.	.	B	.	.	.
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4116	Monitor, Vital Signs	1	C	<input type="checkbox"/>	.	A
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M4250	Pump, Syringe, Infusion	1	C	<input type="checkbox"/>	.	A
M4255	Stand, IV, Adjustable	1	C	<input type="checkbox"/>
M4266	Pump, Volumetric, Infusion, Multiple Line	1	C	<input type="checkbox"/>	.	A
M4665	Stretcher, Recovery, Surgical	1	C	<input type="checkbox"/>
M4816	Warming Unit, Patient, Automatic/Manual, Air	1	C	<input type="checkbox"/>	.	A
M7405	Light, Exam, Ceiling Mounted	1	A	<input type="checkbox"/>	.	F
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
M7845	Monitor, Physiological, Bedside, 4 Channel	1	C	<input type="checkbox"/>	.	A	.	.	.	D
M7905	Oximeter, Pulse	1	C	<input type="checkbox"/>	.	A

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 142 RECOVER										
M8810	Stand, Mayo	1	C	<input type="checkbox"/>
Room 143 PAT PREP										
A1107	Rail System , Utility, Gas and Electric	1	A	<input checked="" type="checkbox"/>	.	F	G	.	.	A
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5180	Track, Cubicle, Surface Mounted, With Curtain	1	A	<input type="checkbox"/>
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	<input type="checkbox"/>
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F0515	Cart, Supply, Linen	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0750	Flowmeter, Air, Connect w/50 PSI Supply	1	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	1	C	<input type="checkbox"/>	.	.	B	.	.	.
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4116	Monitor, Vital Signs	1	C	<input type="checkbox"/>	.	A
M4200	Otoscope/Ophthalmoscope, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
M4255	Stand, IV, Adjustable	1	C	<input type="checkbox"/>
M4266	Pump, Volumetric, Infusion, Multiple Line	1	C	<input type="checkbox"/>	.	A
M4665	Stretcher, Recovery, Surgical	1	C	<input type="checkbox"/>
M7250	Cart, Medication, Unit Dose	1	C	<input type="checkbox"/>
M7405	Light, Exam, Ceiling Mounted	1	A	<input type="checkbox"/>	.	F
M7435	Light, Overbed, Direct And Indirect	1	A	<input checked="" type="checkbox"/>	.	F
M7845	Monitor, Physiological, Bedside, 4 Channel	1	C	<input type="checkbox"/>	.	A	.	.	.	D
M7905	Oximeter, Pulse	1	C	<input type="checkbox"/>	.	A
Room 144 NURSE STATION/ICE										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A6105	Counter, Control, Inpatient, Built-In	1	A	<input type="checkbox"/>	.	A
C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	1	A	<input checked="" type="checkbox"/>
C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	1	A	<input checked="" type="checkbox"/>
CD030	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x30x13	1	A	<input checked="" type="checkbox"/>
CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 144 NURSE STATION/ICE										
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M4815	Hypo/Hyperthermia Unit, Automatic/Manual, Mobile	1	C	<input type="checkbox"/>	.	A
M7850	Monitor, Physiological, Central, 8 Bed, Color	1	C	<input type="checkbox"/>	.	A	.	.	.	D
M8755	Aspirator, Low Pressure/Low Volume, Surgical	1	C	<input type="checkbox"/>	.	A
R4650	Ice Maker, Flaked, With Dispenser, 71x19x24	1	A	<input type="checkbox"/>	B	B
R6200	Refrigerator, U/C or F/S, 5 Cu Ft, 35x24x26	1	C	<input type="checkbox"/>	.	A
X3990	Illuminator, Film, 4 Panels, Wall Mounted	1	C	<input checked="" type="checkbox"/>	.	A
Room 145 OFFICE ANESTHETIST										
E0075	Workstation, L-Shaped, Freestanding, 72x48	3	C	<input type="checkbox"/>	.	A
F0205	Chair, Side With Arms	3	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	3	C	<input type="checkbox"/>
F0415	Cabinet, Filing, Lateral, Full Height, 5 Drawer	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	3	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	3	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
Room 146 ANESTHESIA WKROOM										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
C0038	Rail, Apron, 4x42x1	1	A	<input type="checkbox"/>
C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	1	A	<input checked="" type="checkbox"/>
C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	1	A	<input checked="" type="checkbox"/>
C05P0	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	1	A	<input checked="" type="checkbox"/>
CS230	Sink, SS, Double Compartment, 10x14x16 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0230	Chair, Drafting, Rotary	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
R6200	Refrigerator, U/C or F/S, 5 Cu Ft, 35x24x26	1	C	<input type="checkbox"/>	.	A
Room 147 GAS STOR										
M2025	Rack, Storage, Cylinder, Gas	3	A	<input checked="" type="checkbox"/>
Room 148 GAS STOR										
M2025	Rack, Storage, Cylinder, Gas	3	A	<input checked="" type="checkbox"/>
Room 150 PAT DECONTAM										
M4650	Stretcher, Transport, Cadaver	1	C	<input type="checkbox"/>
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 154 BMET										
M2015	Cabinet, Storage, Flammable, Freestanding	2	C	<input type="checkbox"/>
M2070	Shelving, Storage, 77hx36wx18d	30	C	<input type="checkbox"/>
Room 155 REFRIG STORAGE										
R8600	Refrigerator, Prefab	1	A	<input type="checkbox"/>	.	C
Room 156 RECEIVING										
E0072	Workstation, Corner Work Surface, Wall Mtd, 72x96	1	C	<input type="checkbox"/>	.	A
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
Room 157 STOR HOUSEKPG										
M2070	Shelving, Storage, 77hx36wx18d	7	C	<input type="checkbox"/>
Room 159 OR INPAT GENERAL										
A1120	Column, Service, Prefab, Surgical, Ceiling Mounted	2	A	<input type="checkbox"/>	.	F	G	D	.	.
A1130	Cabinet, Control, Nitrogen	4	A	<input checked="" type="checkbox"/>	.	B
A4015	Clock, Elapsed Time, Electric	1	A	<input checked="" type="checkbox"/>	.	A	.	.	.	D
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	3	C	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
E0703	Table, Process, Adj Height, 5 Drawer, 48"W x 24"D	1	C	<input type="checkbox"/>
E0906	Locker, Supply, General, Wall Mtd, 23"W x 20"D	1	C	<input type="checkbox"/>
E0912	Locker, Supply, Med Surg, Wall Mtd, 23"W x 20"D	1	C	<input type="checkbox"/>
E0954	Cart, Emergency, Mobile, 66"H x 52"W x 22"D	1	C	<input type="checkbox"/>
E1500	Rail, MOD, W/MNTD, HX144XD	1	C	<input type="checkbox"/>
F0355	Footstool, Straight	1	C	<input type="checkbox"/>
F3050	Whiteboard, Dry Erase, 36 x 48	1	A	<input checked="" type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M0425	Monitor, Television	1	C	<input type="checkbox"/>	.	A
M0630	Anesthesia Apparatus, 3 Gas	1	C	<input type="checkbox"/>	.	A	G	C	.	.
M0750	Flowmeter, Air, Connect w/50 PSI Supply	6	C	<input type="checkbox"/>	.	.	K	.	.	.
M0765	Regulator, Vacuum	12	C	<input type="checkbox"/>	.	.	B	.	.	.
M1802	Wall Mounted, Fold Down Computer	1	C	<input type="checkbox"/>	.	A
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
M3175	Electrosurgical Unit, Dual Output	1	C	<input type="checkbox"/>	.	A
M4255	Stand, IV, Adjustable	2	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 159 OR INPAT GENERAL										
M4266	Pump, Volumetric, Infusion, Multiple Line	2	C	<input type="checkbox"/>	.	A
M4815	Hypo/Hyperthermia Unit, Automatic/Manual, Mobile	1	C	<input type="checkbox"/>	.	A
M7490	Light, Surg, Ceiling Mtd, Dual, Unequal Dia Heads	1	A	<input type="checkbox"/>	.	F
M7655	Defibrillator/Cardioscope, 5-Lead	1	C	<input type="checkbox"/>	.	A
M7845	Monitor, Physiological, Bedside, 4 Channel	1	C	<input type="checkbox"/>	.	A	.	.	.	D
M7905	Oximeter, Pulse	1	C	<input type="checkbox"/>	.	A
M8800	Cart, Anesthesia	1	C	<input type="checkbox"/>
M8810	Stand, Mayo	3	C	<input type="checkbox"/>
M8825	Table, Instrument/Dressing, CRS, approx. 36x20x34	1	C	<input type="checkbox"/>
M8830	Table, Instrument/Dressing, Mobile, 34x20x16	1	C	<input type="checkbox"/>
M8900	Carriage, Pail, CRS, Without Pail	4	C	<input type="checkbox"/>
M8905	Pail, Utility, CRS, Without Carriage	4	C	<input type="checkbox"/>
M8910	Cart, Surgical Case	2	C	<input type="checkbox"/>
M8920	Stand, Basin, CRS, Mobile, Double	3	C	<input type="checkbox"/>
M8925	Stand, Basin, CRS, Mobile, Single	1	C	<input type="checkbox"/>
M8940	Stool, Anesthesia, With Back	2	C	<input type="checkbox"/>
M8945	Stool, Surgeon, Revolving	2	C	<input type="checkbox"/>
M8950	Warmer, Blood	2	C	<input type="checkbox"/>	.	B
M9080	Table, Operating, Pedestal, 5 Section	1	C	<input type="checkbox"/>	.	A
X4000	Illuminator, Film, 4 Panel, Recessed, 23x61x5	1	A	<input checked="" type="checkbox"/>	.	B
X4122	Console, PACS, Remote View, 2k X 2k, 2 Monitors	1	F	<input type="checkbox"/>	.	A
Room 160 LKRS STAFF MALE										
A1030	Locker, 2 Person, Over/Under, 72x18x21	6	C	<input type="checkbox"/>
A1066	Mirror, Float Glass, With SS Frame, 36X18	2	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 160 LKRS STAFF MALE										
Room 162 LKRS STAFF FEM										
A1030	Locker, 2 Person, Over/Under, 72x18x21	6	C	<input type="checkbox"/>
A1066	Mirror, Float Glass, With SS Frame, 36X18	2	A	<input checked="" type="checkbox"/>
A5030	Bench, Stall, Shower, Built In	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5110	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Use	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5170	Rod, Shower Curtain, 1"Diameter, W/Curtain & Hooks	1	A	<input type="checkbox"/>
A5175	Soap Dish, With Bar, SS, Recessed	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
A5205	Bar, Towel, 1" Diameter, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P5040	Shower, Single, Hand-Held	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 163 EQUIPMENT STORAGE										
M2070	Shelving, Storage, 77hx36wx18d	7	C	<input type="checkbox"/>
Room 164 SCRUB AREA										
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5100	Dispenser, Surgical Soap, Ft Operated, Sur Mntd	2	A	<input checked="" type="checkbox"/>
A5107	Dispenser, Glove, Surgical/Examination, Wall Mntd	2	C	<input checked="" type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	1	C	<input type="checkbox"/>
P6990	Sink, Scrub, Double, Automatic	1	A	<input type="checkbox"/>	D	B
Room 165 JAN										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5135	Shelf, Utility W/ Mop/Broom Holders, SS, Sur Mntd	1	A	<input checked="" type="checkbox"/>
F0500	Cart, Janitor's	1	C	<input type="checkbox"/>
F2490	Cleaner, Carpet / Floor, Vacuum, Portable	1	C	<input type="checkbox"/>	.	A
M2080	Shelving, Storage, Solid, CRS,w/Adjustable Shelves	1	A	<input type="checkbox"/>
P4700	Sink, Mop, Molded Stone, 10x36x24	1	A	<input type="checkbox"/>	D
Room 166 STERILE STOR										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 166 STERILE STOR										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
C0044	Frame, Apron, 1 Drawer, 4x30x22	1	A	<input type="checkbox"/>
C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	1	A	<input checked="" type="checkbox"/>
C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	1	A	<input checked="" type="checkbox"/>
CS140	Sink, SS, Single Compartment, 10x14x16 ID	1	A	<input type="checkbox"/>	D
CT050	Countertop, Stainless Steel	1	A	<input type="checkbox"/>
CW040	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 92x36x13	2	A	<input type="checkbox"/>
E0703	Table, Process, Adj Height, 5 Drawer, 48"W x 24"D	1	C	<input type="checkbox"/>
F0340	Stool, Self Adjusting	1	C	<input type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
Room 167 DECONTAM CLEAN UP										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	4	A	<input checked="" type="checkbox"/>
C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	1	A	<input checked="" type="checkbox"/>
C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	1	A	<input checked="" type="checkbox"/>
CS140	Sink, SS, Single Compartment, 10x14x16 ID	1	A	<input type="checkbox"/>	D
F2010	Basket, Wastepaper, Step-On	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
S4700	Instrument Washer	1	C	<input type="checkbox"/>	B	C
S4720	Chem Dispenser Unit for Washer	1	C	<input type="checkbox"/>
S4800	Sterilizer, Surg Inst&Dress, Ctr Mntd,10" Dia Cham	2	C	<input type="checkbox"/>	.	A
Room 168 JAN										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5135	Shelf, Utility W/ Mop/Broom Holders, SS, Sur Mntd	1	A	<input checked="" type="checkbox"/>
F0500	Cart, Janitor's	1	C	<input type="checkbox"/>
F2490	Cleaner, Carpet / Floor, Vacuum, Portable	1	C	<input type="checkbox"/>	.	A
M2080	Shelving, Storage, Solid, CRS,w/Adjustable Shelves	1	A	<input type="checkbox"/>
P4700	Sink, Mop, Molded Stone, 10x36x24	1	A	<input type="checkbox"/>	D

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 169 RADIOGRAPHIC										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F0355	Footstool, Straight	1	C	<input type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
X1400	Holder, Cassette, Vertical, With Bucky	1	F	<input type="checkbox"/>	.	B	.	.	.	D
X3150	Rack, Apron/Gloves, Wall Mounted	1	A	<input checked="" type="checkbox"/>
X5700	Radiographic Unit, 65 kW, Non-Tilt Table	1	F	<input type="checkbox"/>	.	F	.	.	.	B
Room 170 SOIL UTIL										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	1	A	<input checked="" type="checkbox"/>
C05P0	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	1	A	<input checked="" type="checkbox"/>
CS200	Sink, SS, Single Compartment, 12x28x16 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
E0912	Locker, Supply, Med Surg, Wall Mtd, 23"W x 20"D	3	C	<input type="checkbox"/>
E0921	Transporter, Locker, Supply, 27"W x 25"D	1	C	<input type="checkbox"/>
E1500	Rail, MOD, W/MNTD, HX144XD	1	C	<input type="checkbox"/>
F0535	Cart, Utility	1	C	<input type="checkbox"/>
F2020	Can, Trash, 44 Gallon	1	C	<input type="checkbox"/>
M3070	Hamper, Linen, Mobile, w/Lid	1	C	<input type="checkbox"/>
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
Room 171 DRESS										
A1030	Locker, 2 Person, Over/Under, 72x18x21	1	C	<input type="checkbox"/>
A1080	Mirror, Posture, Wall Mounted	1	A	<input checked="" type="checkbox"/>
A5020	Dressing Room Bench, Built-in	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
Room 172 PROCESS/VIEW										
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
F0210	Chair, Side, Without Arms	1	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F0775	Table, Work, 2 Drawer, 32 x 72 x 30	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 172 PROCESS/VIEW										
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
X4080	Illuminator, Film, Mobile, 16 Panel, Motorized	1	C	<input checked="" type="checkbox"/>	.	B
X4124	Console, PACS, Remote View, 2k X 2k, 4 Monitors	1	F	<input type="checkbox"/>	.	A
X4390	Viewer, Spot, High Intensity	1	C	<input type="checkbox"/>	.	A
Room 174 RAD FILES										
A6105	Counter, Control, Inpatient, Built-In	1	A	<input type="checkbox"/>	.	A
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
M1855	Facsimile Machine	1	C	<input type="checkbox"/>	.	A
X1170	Cabinet, Filing, Film, 5 Shelves, 88x36x18	8	C	<input type="checkbox"/>
Room 175 LTD DENTAL PROST LAB										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
C04H0	Cabinet, U/C/B, 2 Half Drawer, 3 Drawer, 36x36x22	1	A	<input checked="" type="checkbox"/>
CE040	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x36x13	1	A	<input checked="" type="checkbox"/>
CW090	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 95x36x16	1	A	<input type="checkbox"/>
CW100	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 95x48x16	1	A	<input type="checkbox"/>
D0935	Workstation, Dental Lab, Investment	1	A	<input type="checkbox"/>	D	A	C	.	.	.
D0975	Workstation, Dental Lab, Die Trimming	1	A	<input type="checkbox"/>	.	A	D	.	A	.
D0980	Polishing Unit, Dental Lab, Single, w/o table	1	C	<input type="checkbox"/>	.	A
D3295	Chair, Rotary, Laboratory, Dental	1	C	<input type="checkbox"/>
D6600	Mixer / Investor, With Vacuum	1	C	<input type="checkbox"/>	.	A
D9050	Trimmer, Model, Dental, 1/4 HP	1	B	<input type="checkbox"/>	B	A
D9055	Valve, Control, Water	1	A	<input type="checkbox"/>	J
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
P1960	Station, Wash, Eye/Face, Counter Top	1	A	<input type="checkbox"/>	B
R6200	Refrigerator, U/C or F/S, 5 Cu Ft, 35x24x26	1	C	<input type="checkbox"/>	.	A
Room 176 SCREENING										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A1132	Rail, Accessory Mounting, Length As Required	1	C	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	C	<input type="checkbox"/>	.	A

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 176 SCREENING										
E0948	Cart, General Storage, Mobile, 42"H x 32"W x 22"D	1	C	<input type="checkbox"/>
F0205	Chair, Side With Arms	1	C	<input type="checkbox"/>
F0300	Chair, Typist, Swivel	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1620	Holder, Chart, Patient, Wall or Door Mounted	1	A	<input checked="" type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M4040	Scale, Weighing, 300 Pound Capacity	1	C	<input type="checkbox"/>
M4100	Sphygmomanometer, Aneroid, Wall Mounted	1	C	<input checked="" type="checkbox"/>
M4116	Monitor, Vital Signs	1	C	<input type="checkbox"/>	.	A
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
Room 178 LIBRARY										
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
A6046	Artwork, Decorative, With Frame	1	C	<input type="checkbox"/>
F0115	Bookcase, Open, 5 Shelf	1	C	<input type="checkbox"/>
F0225	Chair, Dining Room	4	C	<input type="checkbox"/>
F0300	Chair, Typist, Swivel	1	C	<input type="checkbox"/>
F0465	Cabinet, Storage, 2 Door, 5 Shelf	1	C	<input type="checkbox"/>
F0690	Workstation, Computer, Enclosed, With Lock	1	C	<input type="checkbox"/>
F0795	Table, Dining	1	C	<input type="checkbox"/>
F0835	Stand, Projection	1	C	<input type="checkbox"/>	.	A
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F2100	Lectern, Mobile, With Reading Light	1	C	<input type="checkbox"/>
F2225	Projector, Overhead	1	C	<input type="checkbox"/>	.	A
F3055	Whiteboard, With Sliding Panels.	1	A	<input checked="" type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
F3230	Rack, Hat / Coat, Wall Mounted	1	A	<input checked="" type="checkbox"/>
M0410	Screen, Projection, 70x70	1	A	<input type="checkbox"/>
M0415	Projector, Slide, Carousel	1	C	<input type="checkbox"/>	.	A
M0430	Recorder / Player, Cassette, Video	1	C	<input type="checkbox"/>	.	A
M0507	Video Teleconferencing System	1	C	<input type="checkbox"/>	.	A
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
X3930	Illuminator, Film, Double, Wall Mounted, 20x29x6	1	C	<input checked="" type="checkbox"/>	.	A
Room 179 WAIT										
F0305	Chair, Waiting Room, Single	4	C	<input type="checkbox"/>
F0740	Table, Occasional, Lamp, 20 x 27 x 27	1	C	<input type="checkbox"/>
F2300	Rack, Magazine, Wall Mounted	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 180 BLOOD DRAW										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	1	C	<input checked="" type="checkbox"/>
C03E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x30x22	1	A	<input checked="" type="checkbox"/>
C03P0	Cabinet, Sink, U/C/B, 2 Door, 36x30x22	1	A	<input checked="" type="checkbox"/>
CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	C	<input type="checkbox"/>	.	A
F0300	Chair, Typist, Swivel	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1410	Chair, Laboratory, Blood Drawing, w/Storage	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
Room 181 URINE COLL TLT										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 183 SPEC REC										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5106	Waste Disposal Unit, Sharps w/Glove Dispenser	2	C	<input checked="" type="checkbox"/>
C0037	Rail, Apron, 4x36x1	1	A	<input type="checkbox"/>
C0040	Rail, Apron, 4x54x1	1	A	<input type="checkbox"/>
C03P0	Cabinet, Sink, U/C/B, 2 Door, 36x30x22	1	A	<input checked="" type="checkbox"/>
C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	1	A	<input checked="" type="checkbox"/>
C04H0	Cabinet, U/C/B, 2 Half Drawer, 3 Drawer, 36x36x22	1	A	<input checked="" type="checkbox"/>
CE040	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38x36x13	2	A	<input checked="" type="checkbox"/>
CS090	Sink, SS, Single Compartment, 7.5x19x16 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	2	A	<input type="checkbox"/>
F0230	Chair, Drafting, Rotary	1	C	<input type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 183 SPEC REC										
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
L0100	Microscope, Binocular	1	C	<input type="checkbox"/>	.	A
L0990	Analyzer, Urine, Basic	1	C	<input type="checkbox"/>	.	A
L1180	Dilutor, 1:25,000 Dilution	1	C	<input type="checkbox"/>	.	A
L1200	Cabinet, Specimen, Pass Thru, CRS	1	A	<input checked="" type="checkbox"/>
L1300	Centrifuge, Small, Blood Typing, 2 Speed	1	C	<input type="checkbox"/>	.	A
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M3072	Frame, Infectious Waste Bag w/Lid	1	C	<input type="checkbox"/>
P1965	Eyewash Station, Eye/Face, Sink Mounted	1	A	<input type="checkbox"/>	A
P2450	Valve, Mixing, Thermostatic	1	A	<input type="checkbox"/>	A
R6200	Refrigerator, U/C or F/S, 5 Cu Ft, 35x24x26	1	C	<input type="checkbox"/>	.	A
Room 184 STOR										
M2070	Shelving, Storage, 77hx36wx18d	4	C	<input type="checkbox"/>
Room 185 CLINICAL LAB										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
CS090	Sink, SS, Single Compartment, 7.5x19x16 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	2	A	<input type="checkbox"/>
F0230	Chair, Drafting, Rotary	2	C	<input type="checkbox"/>
F2010	Basket, Wastepaper, Step-On	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
L1035	Analyzer, Chemistry, Stat	1	C	<input type="checkbox"/>	.	B
L1115	Analyzer, Hematology, Differential, Automatic	1	C	<input type="checkbox"/>	.	A
L1182	Refractometer	2	C	<input type="checkbox"/>	.	A
L1400	Centrifuge, Microhematocrit, 24 Tube	1	C	<input type="checkbox"/>	.	A
L1670	Centrifuge, Refrigerated, Floor Model	1	C	<input type="checkbox"/>	.	C
L1770	Ultracentrifuge	1	C	<input type="checkbox"/>	.	C
L2600	Counter, Cell, Auto	1	C	<input type="checkbox"/>	.	A
L2630	Counter/Timer, Digital	1	C	<input type="checkbox"/>	.	A
L8580	Stainer, Slide, Automatic, Hematology	1	C	<input type="checkbox"/>	.	A
M1205	Balance, Analytical, Laboratory/Pharmacy	2	C	<input type="checkbox"/>	.	A
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
M2030	Cabinet, Storage, Acid, Freestanding, 65x43x18	1	C	<input type="checkbox"/>
P1965	Eyewash Station, Eye/Face, Sink Mounted	1	A	<input type="checkbox"/>	A
P2000	Station, Wash, Eye, Wall Mounted	1	A	<input type="checkbox"/>	B
R6060	Refrigerator, Biological, SS, 2 Door, 40 Cu Ft	1	C	<input type="checkbox"/>	.	A	.	.	.	C
R7000	Refrigerator, 14 Cubic Feet, 64x28x29	1	C	<input type="checkbox"/>	.	A

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 186 LAB OFFICE										
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
E0072	Workstation, Corner Work Surface, Wall Mtd, 72x96	2	C	<input type="checkbox"/>	.	A
F0205	Chair, Side With Arms	2	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F0415	Cabinet, Filing, Lateral, Full Height, 5 Drawer	2	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	2	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
Room 187 BIO & HAZ WASTE										
M2070	Shelving, Storage, 77hx36wx18d	3	C	<input type="checkbox"/>
Room 188 BMET WORK										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
E0210	Worksurface, w/Overhead Cab, Wall Mtd, 48" W	1	C	<input type="checkbox"/>	.	A
F0280	Chair, Swivel, Low Back	1	C	<input type="checkbox"/>
F0410	Cabinet, Filing, Half Height, 2 Drawer	1	C	<input type="checkbox"/>
F0465	Cabinet, Storage, 2 Door, 5 Shelf	3	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F2020	Can, Trash, 44 Gallon	1	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	1	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
P6500	Sink, Service, Cast Iron, 14x24x20	1	A	<input type="checkbox"/>		D
T0285	Drillpress, Floor Mounted, Tilt Table	1	C	<input type="checkbox"/>	.	D
T0600	Workbench, 2 Drawer, 36x72x30	2	C	<input type="checkbox"/>
T3640	Grinder, Pedestal/Mounted, Combination Belt/Disc	1	C	<input type="checkbox"/>	.	A
T9420	Vise, Bench/Pipe, Swivel Base, 5 Inch Jaw	1	C	<input type="checkbox"/>
Room 189 TLT STF MALE										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>		D

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 189 TLT STF MALE										
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B
Room 191 AF LIAISONS										
A5145	Hook, Garment, Double, SS, Surface Mounted	2	A	<input checked="" type="checkbox"/>
E0072	Workstation, Corner Work Surface, Wall Mtd, 72x96	2	C	<input type="checkbox"/>	.	A
F0205	Chair, Side With Arms	2	C	<input type="checkbox"/>
F0280	Chair, Swivel, Low Back	2	C	<input type="checkbox"/>
F0415	Cabinet, Filing, Lateral, Full Height, 5 Drawer	2	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	2	C	<input type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
M1800	Computer, Microprocessing	2	C	<input type="checkbox"/>	.	A
M1825	Printer, Computer	1	C	<input type="checkbox"/>	.	A
Room 192 CONF/LOUNGE										
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5210	Bracket, Television, Wall Mounted, w/Adjust Arm	1	A	<input checked="" type="checkbox"/>
C03E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x30x22	1	A	<input checked="" type="checkbox"/>
C03J0	Cabinet, U/C/B, 8 Half Drawers, 36x30x22	1	A	<input checked="" type="checkbox"/>
C05P0	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	1	A	<input checked="" type="checkbox"/>
CD030	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x30x13	2	A	<input checked="" type="checkbox"/>
CS010	Sink, SS, Single Compartment, 7.5x12x12 ID	1	A	<input type="checkbox"/>	D
CT030	Countertop, High Pressure Laminate	1	A	<input type="checkbox"/>
F0220	Chair, Conference	8	C	<input type="checkbox"/>
F0755	Table, Conference, Wood, 30 x Var x Var	1	C	<input type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
F3025	Board, Bulletin, Wood Framed, 36 x 24	1	A	<input checked="" type="checkbox"/>
F3200	Clock, Battery, 12" Diameter	1	C	<input type="checkbox"/>
K1552	Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back	1	C	<input type="checkbox"/>	B	A
K4665	Oven, Microwave, Consumer	1	C	<input type="checkbox"/>	.	A
M0500	Television, Color, 20" Diagonal	1	C	<input type="checkbox"/>	.	A
R7000	Refrigerator, 14 Cubic Feet, 64x28x29	1	C	<input type="checkbox"/>	.	A
Room 193 TLT STF FEM										
A1066	Mirror, Float Glass, With SS Frame, 36X18	1	A	<input checked="" type="checkbox"/>
A5075	Dispenser, Soap, Disposable	1	C	<input checked="" type="checkbox"/>
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5090	Disposal, Sanitary Napkin, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	A	<input checked="" type="checkbox"/>
A5145	Hook, Garment, Double, SS, Surface Mounted	1	A	<input checked="" type="checkbox"/>

Room by Room Equipment List

JSN	Nomenclature	Qty	Cat	Wall Backing Required	Utilities					
					1	2	3	4	5	6
Room 193 TLT STF FEM										
A5200	Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd	1	A	<input checked="" type="checkbox"/>
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia.	1	C	<input type="checkbox"/>
P3100	Lavatory, Vitreous China, Slab Type	1	A	<input type="checkbox"/>	D
P9050	Toilet, Wall Hung, Siphon Jet	1	A	<input type="checkbox"/>	B



Summary of equipment to be detailed in specifications

Spec Section	JSN	Quantity	Nomenclature	Category
05500				
	M2025	6	Rack, Storage, Cylinder, Gas	A
06200				
	A5020A	1	Dressing Room Bench, Built-in	A
	A6105	4	Counter, Control, Inpatient, Built-In	A
	CT030	18	Countertop, High Pressure Laminate	A
	CT050	1	Countertop, Stainless Steel	A
	D9941	4	Countertop, Laminated, 3/4" x W x 17-1/2"	A
10191				
	A5180	6	Track, Cubicle, Surface Mounted, With Curtai	A
10800				
	A1066	26	Mirror, Float Glass, With SS Frame, 36X18	A
	A1066A	2	Mirror, Float Glass, With SS Frame, 24X18	A
	A1080	1	Mirror, Posture, Wall Mounted	A
	A4995	2	Table, Diaper Changing, Wall Mounted, VER	A
	A5030	5	Bench, Stall, Shower, Built In	A
	A5080	46	Dispenser, Paper Towel, SS, Surface Mounte	A
	A5090	5	Disposal, Sanitary Napkin, SS, Surface Moun	A
	A5100	2	Dispenser, Surgical Soap, Ft Operated, Sur	A
	A5109	13	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Acces	A
	A5110	5	Grab Bar, 1-1/4" Dia., SS, 2 Wall, Shower Us	A
	A5135	2	Shelf, Utility W/ Mop/Broom Holders, SS, Sur	A
	A5170	5	Rod, Shower Curtain, 1"Diameter, W/Curtain	A
	A5175	5	Soap Dish, With Bar, SS, Recessed	A
	A5200	12	Dispenser, Toilet Tissue, SS, 2-Roll, Surface	A
	A5205	5	Bar, Towel, 1" Diameter, SS, Surface Mounte	A
	L1200	1	Cabinet, Specimen, Pass Thru, CRS	A
10900				
	A5145	39	Hook, Garment, Double, SS, Surface Mounte	A
	A5210	8	Bracket, Television, Wall Mounted, w/Adjust	A
	F3025	1	Board, Bulletin, Wood Framed, 36 x 24	A
	F3050	1	Whiteboard, Dry Erase, 36 x 48	A
	F3055	1	Whiteboard, With Sliding Panels.	A
	F3230	1	Rack, Hat / Coat, Wall Mounted	A
	M0410	1	Screen, Projection, 70x70	A
	M1620	6	Holder, Chart, Patient, Wall or Door Mounted	A
	M2080	2	Shelving, Storage, Solid, CRS,w/Adjustable S	A

Summary of equipment to be detailed in specifications

Spec Section	JSN	Quantity	Nomenclature	Category
11475				
	X1600A	1	Dental X-ray Cabinet, Pass-thru, 52 1/2"HX49	A
	X3150	1	Rack, Apron/Gloves, Wall Mounted	A
	X4000	1	Illuminator, Film, 4 Panel, Recessed, 23x61x	A
11702				
	A1107	9	Rail System , Utility, Gas and Electric	A
	A1120	2	Column, Service, Prefab, Surgical, Ceiling M	A
	A4015	1	Clock, Elapsed Time, Electric	A
	A6010	6	Bumper, Wall, Bed	A
	M7435	9	Light, Overbed, Direct And Indirect	A
	R4400	1	Ice Maker, Cubes, 34x25x17	A
	R4650	1	Ice Maker, Flaked, With Dispenser, 71x19x24	A
	R8600A	1	Refrigerator, Prefab	A
11708				
	D6000	2	Light, Dental Operating, Chair Mount	B
	D7090	2	Utility Center, Dental, Wall or Floor Mounted	B
	D9050	1	Trimmer, Model, Dental, 1/4 HP	B
11744				
	D0935	1	Workstation, Dental Lab, Investment	A
	D0975	1	Workstation, Dental Lab, Die Trimming	A
12351				
	C0023	6	Cabinet, Wardrobe, 1 Door, 84x15x22	A
	C0037	1	Rail, Apron, 4x36x1	A
	C0038	1	Rail, Apron, 4x42x1	A
	C0040	1	Rail, Apron, 4x54x1	A
	C0044	1	Frame, Apron, 1 Drawer, 4x30x22	A
	C02C0	8	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x	A
	C02Q0	4	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	A
	C03E0	7	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x	A
	C03F0	1	Cabinet, U/C/B, 1 Shelf, 2 Half DR, 2 DO, 36	A
	C03J0	1	Cabinet, U/C/B, 8 Half Drawers, 36x30x22	A
	C03P0	3	Cabinet, Sink, U/C/B, 2 Door, 36x30x22	A
	C04E0	4	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x	A
	C04H0	2	Cabinet, U/C/B, 2 Half Drawer, 3 Drawer, 36x	A
	C04P0	1	Cabinet, Sink, U/C/B, 2 Door, 36x36x22	A
	C05P0	3	Cabinet, Sink, U/C/B, 2 Door, 36x48x22	A
	CA020	1	Cabinet, Open, W/H, 2 Shelf, Sloping Top, 38	A
	CB020	1	Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38	A
	CD030	6	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38	A
	CD040	3	Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38	A
	CE030	1	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38	A
	CE040	3	Cabinet, W/H, 2 SH, 2 GDO, Sloping Top, 38	A

Summary of equipment to be detailed in specifications

Spec Section	JSN	Quantity	Nomenclature	Category
12351				
	CW040	2	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 9	A
	CW090	1	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 9	A
	CW100	1	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 9	A
	D9420	4	Cabinet, Wall Hung, 2 Sliding Doors, 30x36x1	A
	D9661	4	Cabinet, Base, 2 Drawer, 2 Door 31"Hx18"W	A
	D9693	4	Cabinet, Base, 5 Drawer, 31"Hx18"Wx18"D	A
	D9836	4	Cabinet, Base, For sink, 2 Doors, 31"Hx27"W	A
13034				
	M0050	1	Booth, Audio, Dbl Wall, Definitive Test, 1 Per	A
15217				
	D9055	1	Valve, Control, Water	A
15400				
	A1130	4	Cabinet, Control, Nitrogen	A
	CS010	4	Sink, SS, Single Compartment, 7.5x12x12 ID	A
	CS090	2	Sink, SS, Single Compartment, 7.5x19x16 ID	A
	CS140	2	Sink, SS, Single Compartment, 10x14x16 ID	A
	CS150	1	Sink, SS, Single Compartment, 10x19x16 ID	A
	CS200	1	Sink, SS, Single Compartment, 12x28x16 ID	A
	CS230	2	Sink, SS, Double Compartment, 10x14x16 ID	A
	D0792	4	Sink, SS, Without Faucet, 8x14x10	A
	D0811	4	Valve, Water, Foot, With Faucet	A
	P1960	1	Station, Wash, Eye/Face, Counter Top	A
	P1965	2	Eyewash Station, Eye/Face, Sink Mounted	A
	P2000	2	Station, Wash, Eye, Wall Mounted	A
	P2450	1	Valve, Mixing, Thermostatic	A
	P3070	6	Lavatory, Vitreous China, Under or Counter T	A
	P3100	18	Lavatory, Vitreous China, Slab Type	A
	P4700	2	Sink, Mop, Molded Stone, 10x36x24	A
	P5040	6	Shower, Single, Hand-Held	A
	P6500	1	Sink, Service, Cast Iron, 14x24x20	A
	P6990	1	Sink, Scrub, Double, Automatic	A
	P9050	12	Toilet, Wall Hung, Siphon Jet	A
	R2202	1	Fountain, Water, CRS, Wall Mounted, Handic	A
16553				
	M7405	4	Light, Exam, Ceiling Mounted	A
	M7490	1	Light, Surg, Ceiling Mtd, Dual, Unequal Dia H	A

COMPOSITE MEDICAL FACILITY (CMF) REPLACEMENT
THULE AIR BASE, GREENLAND

FINAL RFP SUBMITTAL
POSSIBLE LOCATIONS FOR USABLE EXISTING EQUIPMENT

Refer to the FAX correspondence of 18MAR02 which follows this report. It is the list of equipment developed by the medical staff at TAB.

The staff noted items which they deemed appropriate for re-use. RLF then cross-referenced items shown in the equipment plans of this RFP submittal with the list and identified any items on the staff's "OK" list which also appeared in the submittal plans. This report identifies those items and in which rooms of the CMF Replacement building they may be used.

The inclusion of this report does not constitute an endorsement to re-use the items on the list, and RLF did not perform a review of the items noted. The report identifies the JSN which RLF believes is the most appropriate to align with the description of the item as provided by the staff; this issue remains to be verified.



Possible Locations for Usable Existing Equipment

JSN	TAB Index Number	TAB Nomenclature Standard Nomenclature	TAB Stock Number	Quantity Available	TAB Location	Date Purchased	Life Expectancy (Years)	Recommended Year to Discard	Quantity Required
D8250	240	DENTAL CHAIR DELIVERY SYSTEM, DENTAL OPERATING	6520L503001	2	ROOM 126	01-May-85	10	1995	2
May be used in Room Number(s): 107 108									
D8850	174	AMALGAMATOR, DENTAL, 115V AMALGAMATOR, DENTAL	6520001490123	1	ROOM 126	01-Dec-94	UNKNOWN	UNKNOWN	2
May be used in Room Number(s): 107 108									
D9050	181	TRIMMER, DENTAL, 115V TRIMMER, MODEL, DENTAL, 1/4 HP	6520012052426	1	ROOM 129	01-Jan-85	0		1
May be used in Room Number(s): 175									
D9060	183	ULTRASONIC CLEANING SYSTEM PROPHYLAXIS UNIT, ULTRASONIC	6520012220687	1	ROOM 129	01-Nov-89	6	1995	2
May be used in Room Number(s): 107 108									
L0100	213	MICROSCOPE, STAR 4 MICROSCOPE, BINOCULAR	6650L500005	1	ROOM 122	01-Jan-90	15	2005	1
May be used in Room Number(s): 183									
L1035	197-199	ANALYZER, CHEMISTRY ANALYZER, CHEMISTRY, STAT	6630012769461 & 6630012776342	1	ROOM 122	01-Oct-92	13	2005	1
May be used in Room Number(s): 185									
L1300	205	CENTRIFUGE, SERO-FUGE CENTRIFUGE, SMALL, BLOOD TYPING, 2 SPEED	6640L199625	1	ROOM 122	01-Sep-92	10	2002	1
May be used in Room Number(s): 183									

Possible Locations for Usable Existing Equipment

JSN	TAB Index Number	TAB Nomenclature <i>Standard Nomenclature</i>	TAB Stock Number	Quantity Available	TAB Location	Date Purchased	Life Expectancy (Years)	Recommended Year to Discard	Quantity Required
M4116	82	MONITOR, PATIENT VITAL SIGNS <i>MONITOR, VITAL SIGNS</i>	6515011356197	1	ROOM 72	01-Dec-94	8	2002	4
May be used in Room Number(s): 140 142 143 176									
M7401	128	LIGHT, SURGICAL MOBILE, 110V <i>LIGHT, EXAM, MOBILE, SPOTLIGHT, MOBILE STAND</i>	6530002998298	1	ROOM 106	01-Jan-85	17	2002	4
May be used in Room Number(s): 114 115									
M7660	109	DEFIBRILATOR, LIFEPAK 10 <i>DEFIBRILLATOR/MONITOR/RECORDER, PORTABLE</i>	6515L9626202	1	ROOM 72	01-Jan-97	8	2005	4
May be used in Room Number(s): 118 139									
M9025	140	EXAM TABLE <i>TABLE, EXAMINATION/TREATMENT, WITH CABINET</i>	65301199302	1	ROOM 133	01-Apr-98	15	2009	8
May be used in Room Number(s): 114 115									
M9080	160	OR TABLE <i>TABLE, OPERATING, PEDESTAL, 5 SECTION</i>	6530L950082	1	ROOM 125	01-Jan-96	12	2008	1
May be used in Room Number(s): 159									
S4700	44	GLASSWARE WASHER <i>INSTRUMENT WASHER</i>	6530L98024602	1	ROOM 122	01-Oct-98	8	2006	1
May be used in Room Number(s): 167									



FAX COVER SHEET

U.S. AIR FORCE

USAF Health Facilities Office – Eastern Region
60 Forsyth St SW, Suite 8M30
Sam Nunn Atlanta Federal Center
Atlanta GA 30303-8801
COMM: 404-562-1230
FAX: 404-562-4232

TO: Tom Hugget
Comm: 407-647-1039
FAX: 407-629-9409

FROM: 1Lt Jaime Martinez
Comm: 404-562-4245
FAX: 404-562-4232

**Greenland Contractor's medical equipment list selected
by the BMET tech for re-use by the new facility**

EQUIPMENT: *TOW, THE ITEMS THAT HAVE AN OK TO THE LEFT ARE*
SERIAL #: *THE CNE'S IDENTIFIED FOR REUSE.*

THANKS

DATE/TIME FAXED: 18 Mar 02/15:26

NUMBER OF PAGES 12

Confirmation Number(s) _____

Contacted: _____

G:\HFOER\OFFICE\FORMS\TEMPLATE\FAX\Travel Fax Cover Sheet.doc

Medical Equipment List

29-03-2001
Page 1 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
38	Port Suct, s-scoot Bigred.	6530L0080004	94	830	0003		2015			Yes
39	Generator Electrosurgical	6515LP0145005	94	1.919	0006					Yes
40	Aspirator Comco	6515LP924600	72	1.350	9710	10	2007		yes	yes
42	Isotemp lab freezer	6530L98024600	122	4.209	98 09	10	2008		yes	yes
43	Isotemp lab freezer	6530L98024601	47 422	5.554	98 10	10	2008		yes	yes
44	Glassware washer <i>Mile</i>	6530L98024602	122	6.750	98 10	8	2006		yes	yes
45	Centrifuge Model 3200	6550L9827304	122	2.802	98 10	10	2008		yes	yes
46	I-STAT Blood Analyser	6640LP9194001	122	5.469	99 07	5	2005		yes	yes
47	Apix Generator <i>Locator</i>	6520LP9240000	127	792						
48	Dental Engine	6520LP9240001	126	1.290	99 09				Apex	Locator
49	Autoclave Delta 10	6520LP9240008	129	2.195	99 09	10	2010			yes
50	Film Loader	6525LP9240000	126	1.283	99 09	6	2006			Yes
51	Gamma counter	6525LP9245005	126	504	99 09	4	2004			Yes
52	Cavitron Ultra Scaler	6525LP9245007	127	1.025	99 09	6	2006			
53	Cavitron Ultra Scaler	6525LP9245007	127	1.025	99 09	6	2006			
54	Water Distiller	6665LP9240000	129	209	99 09	3	2003		yes	Yes
55	Blair Hugger	6515LP98259007	59	1.055	9912					Yes
56	Scale, electron physician.	6515LP0028002	125	386	0003	15	2015			Yes
57	Spirometer W/EXP. 0305	6515LP0129000	125	2.162	0005	10	2010		yes	yes

Medical Equipment List

29-03-2001
Page 2 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
58	Chair, W/24 1/2 in Wide Seale	6530L820016	69							
59	Drill mach upright bench	3413001654136	Bldg 1408	572	89 10	8 + 5	2002	1 yes		yes
60	Heat cealer	3540L822803	129	97	90 01	0		side 2 yes		yes
62	Refrigerator 8 cu ft	4110002669291	107	257	85 01	10	1995	2 yes		yes
63	Refrigerator 8 cu ft	4110002669291	51	257	85 01	10	1995	3 yes		yes
63	Refrigerator 8 cu ft	4110008925921	54	257.19						
64	Refrig-freezer mech 12.5 ft	4110008925921	71	345	91 01	10 + 5	2006	4 yes		yes
65	Refrig-freezer mech 12.5 FT	4110008925921	54	345	91 10	10 + 5	2006	5 yes		yes
66	x pump pressure/vacuum	4310011691621	Bldg 577	410	91 09	10 + 2	2003		yes	yes
67	x pump pressure/vacuum	4310011691621	Bldg 577	410	91 09	10 + 2	2003		yes	yes
68	x facsimile machine	5815L199163	120	1.524	92 07	10	2002		yes	yes
69	x radios, adapters, batteries	5820L9626400	67	822	97 01	8	2005		yes	to repair
70	x radios, adapters, batteries	5820L9626400	67	822	97 01	8	2005		yes	to repair
71	x radios, adapters, batteries	5820L9626400	67	822	97 01	8	2005		yes	to repair
72	x radios, adapters, batteries	5820L9626400	114	822	97 01	8	2005		yes	to repair
73	Electrosurgical unit	6515001376511	94	2.911	86 03	10 + 6	2002	6 yes		Turn in 2001
74	Cutter ortho cast 10 in	6515003234510	106	285	84 08	0		7 yes		yes
75	Suct + pres app surg 115V	6515003753100	101	1.701	80 04	10	1990	8 yes		Turn in 2001
76	Suct app mob <i>Laerdal</i>	6515006878342	Ambulance	349	85 01	10	1995	9 yes		yes

1408

Medical Equipment List

29-03-2001
Page 3 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
77	Suct app mob <i>laerdal</i>	6515006878342	Ambulance	349	85 01	10	1995	10	yes	yes
78	Anes app ptbl gas 4 cyl	6515010034133	94	20.464	89 08	10 + 3	2002	10	yes	yes
79	Vaporizer, isoflurane	6515010034133	94	?	89 08	0		12	yes	yes
80	Noise dosimeter kit	6515010652819	Bldg 577	7.860	93 01	10	2003	14	yes	yes
81	Electrocardiograph	6515L00003	125	11.007	88 08	10	1998	39	yes	Turn in 2001
82	Monitor pat vital signs	6515011356197	72	7.506	94 12	7 + 1	2002	19	yes	yes
83	Vacuum cleaner plas 115v	6515011676642	106	1.410	92 07	8 + 2	2002	20	yes	yes
84	EKG port 115/220v 50/60hz	6515012309938	125	2.735	94 11	10	2004	22	yes	yes
85	Cont volumetric infusion	6515012437108	67	1.440	85 01	10 + 10	2005	23	yes	yes
86	Cont volumetric infusion	6515012437108	66	1.440	85 01	10 + 10	2005	24	yes	yes
87	Cont volumetric infusion	6515012437108	66	1.440	85 01	10 + 10	2005	25	yes	yes
88	Thermometer IVAC 2085-A	6515012477251	134	245	92 07	0		26	yes	yes
90	Monitor temperature	6515L0043TD	75	249	88 02	0		28	yes	
91	Nubilizer	6515L111502	75	184	91 06	0		29	yes	yes
92	Stethoscope ultrasonic	6515L199108	124	525	91 07	8 + 3	2002	30	yes	yes
93	Headlight halogen abco	6515L199109	133	370	91 06	12	2003	31	yes	yes
94	Counter prescription	6515L199146	123	1.500	91 11	8 + 3	2002	32	yes	yes
95	Ventilator autovent	6515L199240	64	1.545	90 11	10 + 2	2002	33	yes	yes
96	Ventilator autovent	6515L199240	64	1.545	92 07	10	2002	34	yes	yes

Matillø ok

ok

ok

ok

ok

ok

Medical Equipment List

29-03-2001
Page 4 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recomm. Year to Renew	Page	Historical Records	Operational Yes/No
97	Portable reg suction unit L.	6515L199241	72	640	92 05	8 + 6	2006	35	yes	yes
98	Portable reg suction unit L.	6515L199241	133	640	92 05	8 + 2	2002	36	yes	yes
99	Portable reg suction unit L.	6515L199241	125	640	92 08	8 + 2	2002	37	yes	yes
100	Portable reg suction unit L.	6515L1992241	106	640	92 08	8 + 2	2002	38	yes	yes
101	Patient Monitor	6515L500006	125	5.495	90 11	7 + 4	2001	40	yes	Udskiftes 2001
102	Vaporizer tec 4 fluotec	6515L500009	94	1.857	91 01	10	2001	41	yes	Udskiftes 2001
103	Lerdal suction unit	6515L510002	72	520	87 09	10 + 5	2002	42	yes	yes
104	Pneumatic tourniquet	6515L510003	94	1.380	88 03	10 + 4	2002	43	yes	yes
105	Pneumatic tourniquet	6515L510003	45	1.380	94 09	10	2004	44	yes	yes
106	Portable suction app	6515L930037	94	725	94 06	10	2004	45	yes	yes
107	Electrosurgical unit	6515L940168	94	2.027	95 06	10	2005	46	yes	yes
108	Gastroscope	6515L950090	44	14.647	96 03	8	2004			no
109	Litopak IV deionizator	6515L9626202	72	10.910	97 01	8	2005	5	yes	yes
110	Propaq 106el w/printer	6515L9725202	94	15.215	97 11	7	2004		yes	yes
111	Electric bed/mat	6515L9726601	72	2.195	98 02	12	2010		yes	yes
112	Electric bed/mat	6515L9726601	81	2.195	98 04	12	2010		yes	yes
113	Dental x-ray system, oral	6525L423200	128	3.800	85 03	10	1995	65	yes	yes
115	Illuminator xray 4x4	6525L510001	109	1.147	88 02	12 + 2	2002	67	yes	yes
116	X-ray Film Dubicator	6525LP0108001	111	1.345	0005				yes	yes

Form 111

Medical Equipment List

29-03-2001
Page 5 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
117	Xray system fixed	6525rx830803	112	54,692	90 11	10 + 5	2005	68	yes	yes
118	Control	6525rx830803a	112		90 11	5	2005	69	yes	yes
119	Generator	6525rx830803b	112		90 11	5	2005	70	yes	yes
121	Table	6525rx830803c	112		90 11	5	2005	71	yes	yes
122	Integrated tubestand	6525rx830803d	112		90 11	5	2005	72	yes	yes
122	Radiographic tube	6525rx830803e	112		90 11	5	2005	73	yes	yes
124	Collimator	6525rx830803f	112		90 11	5	2005	74	yes	yes
125	Vertical wall bucky stand	6525rx830803g	112		90 11	5	2005	75	yes	yes
126	Sterilizer <i>Market Forge</i>	6530000656765	122	4,180	89 11	12 + 1	2002	76	yes	yes
127	Light sur cell dual 115v	6530000600603	133	1,107	90 12	12	2002	77	yes	yes
128	Light sur std mob 110v	6530002998298	106	2,787	85 01	12 + 5	2002	78	yes	yes
129	Woods light	6530004808286	133	158	88 04	0		79	yes	yes
130	Light surg ciling mtd	6530007066395	98	680	52 11	15	1967	80	yes	yes
132	Hydr bed	6530011399433	72		96 04	12	2008		yes	yes
133	Cleaner ultrasonic 18 gal	6530012878130	92	4,840	93 01	6 + 3	2002	82	yes	yes
134	Hypo/hyperthermia unit	6530L OTPUMP	69	285	90 02	0		84	yes	yes
135	Hypo/hyperthermia unit	6530L OTPUMP	69	285	91 10	0		85	yes	yes
137	Light minor surgery	6530L 199268	94	3,886	93 10	12	2005	87	yes	yes
138	Monitor physiologic	6530L 199272	72, 75	8,995	92 10	8 + 6	2006	88	yes	yes

Can't find
market forge
WT 1405

Sterilizer
Market Forge

Room 72

Thule Air Base
Greenland
Base Hospital

Medical Equipment List

29-03-2001
Page 6 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
139	Electric bed/mat	6515L9726601	80	2.195	98 04	12	2010		yes	yes
140	Exam table ritter	6530L199302	133		94 06	15	2009		yes	yes
141	Electric bed/mat	6515L9726601	79	2.195	98 04	12	2010		yes	yes
142	Exam table power	6530L199302	133		95 02	15	2009		yes	yes
143	Electric bed/mat	6515L9726601	78	2.195	98 04	12	2010		yes	yes
144	Table examinnu ritter	6530L199302	75		95 02	15	2009	stykker	yes	yes
145	Tableexam power ritter	6530L199302	124	4.421	97 11	15	2012		yes	yes
146	Oxylog draeger	6515L9726700	72	7.198	98 02	6	2004		yes	yes
147	Light exam floor stand	6530L500003	124	798	89 11	10 + 3	2002	89	yes	yes
148	Pulse oxymeter	6515L9726800	Ambulance	695	97 10	8	2005		yes	yes
149	Light exam floor stand	6530L500003	133	798	89 11	10 + 3	2002	90	yes	yes
150	Pulse oxymeter	6515L9726800	Ambulance	695	97 10	8	2005		yes	yes
151	Pulse oxymeter	6515L9726800	Ambulance	695	97 10	8	2005		yes	yes
152	Water bath	6530L500006	122	636	90 11	10	2000	91	yes	yes
153	Cart emergency	6530L500009	106 126	895	91 07	10 + 10	2011	92	ingen file	yes
154	Fulke scopemeter series 2	6515L9726861	22	1.795	97 10	5 + 3	2005		yes	yes
155	Cart emergency	6530L500009	72 24	895	91 09	10 + 10	2011	93	ingen file	yes
156	Early defib trainer <i>hijepak 9A</i>	6515L98069000	125	2.344	98 03	10	2008		yes	yes
156	Early defib trainer	6515L98069000	125	2.334.5						

Medical Equipment List

29-03-2001
Page 7 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recomm. Year to Renew	Page	Historical Records	Operational Yes/No
157	Stretcher hydraulic	6530L510001	106	1.260	85 01	15 + 2	2002	94	ingen file	yes
158	Ergometer electronic	6530L510003	125	1.797	89 03	15	2004	95	yes	yes
159	Commode wheelchair	6530L930031	68	1.145	94 05	15	2009		yes	yes
160	Hydraulic O R table	6530L950082	125	5.289	96 01	12	2008	97	yes	yes
161	Lifepak 300 defib	6515L98098000	Ambulance	5.980	98 04	8	2006		yes	yes
162	Century series bed w/mat	6530L9626200	72	2.887	97 02	12	2009		yes	yes
163	Lifepak 300 defib	6515L98098000	Ambulance	5.980	98 04	8	2006		yes	yes
164	Century series bed w/mat	6530L9626200	77	2.887	97 02	12	2009		yes	yes
165	Cadex7000 battery tester	6515L98098001	Ambulance	1.850	98 04	6	2004			
166	Tonometer	6540010789246		1.353					Unknown	
167	ECG Machine w/cart	6515LP9272025	125	9.153	99 11	8	2007			Yes
168	Elec thermometer ivac	6515LW4100025	124	297	90 02	0			yes	yes
169	Iester vision acuity	6540L426002	125	890	76 03	10 + 20	2006	98	ingen file	Turn in 2001
169	Testervision	6540L426002							Turn in	
170	Elec thermometer ivac	6515LW4100025	75	297	90 02	0		48	yes	yes
171	Tonometer	6540L940116	133		95 02	10	2005		yes	yes
172	Amalgator	6520001490123	126						Turn in 2001	Turn-in 2001
173	Trismus 2 visiontest	6540L950015	125		95 03	12	2007		yes	yes
174	Amalgator elec den 115v	6520001490123	126	277	94 12	0		50	yes	yes

D8850

29-03-2001

Greenland

Page 8 of 18

Base Hospital

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
175	Hearing test booth	6540L96254001	125	3,472	97 02	15	2012	99	ingen file	yes
176	Handpiece electric	6520004849494	129	373	87 03	10 + 5	2002	51	yes	yes
177	Tester conductivity	6625000661779	<i>F. Lab</i>	263	94 04	5 + 3	2002	100	ingen file	yes
178	Grind/pol mach den lab	6520005389150	129	204	85 01	0		52	yes	yes
179	Calibrator, audio level	6625004015364	Bldg 577	610.64						
180	Handpiece dental	6520010868929	129	511	89 11				yes	yes
181	Trimmer dent model 115v	6520012052426	129	586	85 01	0		53	yes	yes
182	Tester current leakage 60hz	6625004339064	54	1,461	85 01	8	1993	101	ingen file	yes
183	Ultrasonic cleaning sys	6520012220687	129	419	89 11	6	1995	54	yes	yes
185	Light dental mod 6300	6520L199273	75	911	92 08	8	2000	56	yes	yes
186	Light dental mod 6300	6520L199273	133	911	92 08	8	2000	57	yes	yes
187	System curing light	6520L200001	126	695	89 01	8	1997		yes	?
188	Dental Handpieces	6520L500014	129	527	89 12	10 + 3	2002		yes	yes
189	Vacuum sys vacstar 2	6520L500018	<i>128A</i>	852	90 10	10 + 2	2002	58	yes	<i>yes + 2 Room</i>
190	Light curing optilux	6520L500019	126		91 02	8 + 3	2002		yes	<i>yes Mtn-171</i>
191	Ultrasonic cleaner	6520L890125	129	367	96 01	6	2002	61	ingen file	yes
192	Digital apex locator	6520L904401	126	244	89 06	0		62	yes	yes
193	Process machine <i>Kodak</i>	6525010870983	111	6,354	93 07	8 + 1	2002	63	yes	yes
194	x-Ray Unit <i>AMX-3</i>	6525011202647	101	34,657	95 04	8	2003	64	yes	yes

1457-177

128A

1007

Yochik

AMX-3

Medical Equipment List

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
195	Aerosol monitor kit	6630004832837	Bldg 577	1.400	92 05	10	2002	102	ingen file	yes
196	Pump kt air sampl port	6630011072051	577	3.913	94 04	5	1999		yes	yes
197	Cemestry analyser module	6630012769461	122	3.953	92 10	7 + 6	2005	104	yes	yes
198	Chem analy module die 11	6630012769461	122	?	92 10	6	2006	105	yes	yes
199	Chemestry analyzer d16011	6630012776342	122	5.979	92 10	7 + 6	2005	106	yes	yes
200	Blood cell counter	6630L500009	54	26.432						Turn-in 2001
201	Coulter T890+printer	6630L940114	122	10.920	95 04	5	2000	109	yes	yes
202	DT 60 II Analyzer	6630L96254002	122	8.500	96 12	7	2003		yes	yes
203	Destilling app slim 5gl	6640004405750	92	3.279	58 03	15 + 30	2003	110	yes	Turn in 2001
204	Stirrer-hot plate mag lab	6640012609065	122	417	85 01	25	2010	111	ingen file	
205	Centrifuge sero-fuge	6640L199265	122	725	92 09	10	2002	112	yes	yes
206	Incubator small	6640L500238	122	1.225	79 06	10 + 13	2002	113	yes	yes
209	Fume Hood	6640L940167	122	3.103						
210	Blood bank refrigerator	6640L97002001	122	1.882	97 01	0			yes	yes
211	Microscope	6650010190423	122	1.758	81 12	10	1991		yes	yes
212	Microscope illuminator	6650L199266	122	4.925	93 01	10	2003	117	yes	yes
213	Microscope-star 4	6650L500005	122	2.959	90 01	15	2005		yes	yes
214	Nutator mixer	6650L950014	122	329	95 03	10	2005		yes	yes
216	Meter, microwave surv ptbl	6665011124050	Bldg 577	825	92 07	10	2002	120	ingen file	yes

Medical Equipment List

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
217	Probe microwave survey	6665011124050 A	Bldg 577	2.390	92 12	5	1997	121	ingen file	yes
218	Indoor envr. Monitor	6665L9725200	Bldg 577	11.599	98 09	10	2008		yes	yes
219	AQ-501 air quality monitor	6665L9726603	Bldg 577	5.495	98 01	10	2008		yes	yes
220	Balance prescription 120gr	6670004018400	123	380	85 01	12 + 5	2002	122	yes	yes
221	Scale electronic balance	6670010918923	122	1.540	87 11	10 + 5	2002	123	yes	yes
222	Elect scale	6670L950013	135	997	95 03	10	2005		yes	yes
223	Viewer microfiche	6730001633122	27	267	85 01				yes	yes
224	Projector slide	6730L500005	49	657	91 09	10 + 10	2011		yes	yes
225	Cpr chris clean manikin	6910L500006	45-50114	1.206	90 11	10 + 2	2002		yes	yes Room
226	Dukke anne	6910L500357	72	1.156	85 01	10	1995		yes	yes
227	Safe compartment 2-handle	7110002743825	123	3.138	85 01	10 + 7	2002		yes	Turn in 2001
229	Oven microwave	7310003641196	54	559	89 09	10 + 3	2002		yes	yes Hand
229	Microwave	7310003641196	15	710						
231	Calculator	7430012022248	13	84	85 01	ingen			yes	yes
232	Typewriter electric IBM	7430L500003	123	8.000						800
233	Typewriter electric IBM	7430L500003	72	8.000						800
234	Typewriter electric IBM	7430L500003	138	8.000						800
235	Television 25"	7730L709300	4	409	94 08	ingen			yes	yes
236	Battery LP300	6515L199223A	AMU	145	98 04	3 + 2	2003	-1	yes	yes

Thule Air Base
Greenland
Base Hospital

Medical Equipment List

29-03-2001
Page 11 of 18

Index No.	Equipment	Stock No.	Location, Room no	Old price	Year/Month Bought	Life expectancy (Years)	Recom. Year to Renew	Page	Historical Records	Operational Yes/No
237	Battery LP300	6515L199223A	Ambulance	145	98 04	3 + 2	2003	-2	yes	yes
238	Battery LP300	6515L199223A	Ambulance	145	98 04	3 + 2	2003	-3	yes	yes
239	Battery LP300	6515L199223A	Ambulance	145	98 04	3 + 2	2003	-4	yes	yes
240	Dental oper unit w-chair	6520L503001	126	5.882	85 08	10	1995	59	yes	
241	Dental oper unit w-chair	6520L503001	126	5.882	85 05	10	1995	60	yes	
242	Cleaner, vacuum	7290WP023101	12	499						
243	Cleaner, vacuum	7290WP023101	85	499						
244	Diffcount III, 12 channel	6515L02600162	122							
245	Coulter AC-T Diff	6640L9201881	122	14.700						
None	Safety analyzer 47544 D.	6530LP0056001	22	745	0007	8	2008		yes	yes
None	Hydraulic minor table or	6530L510004	94	10.615	88 09	15	2003	96	yes	yes
	Hydraulic minor table or	6530L510004	94	10.615						
	IVCUII A-TAY, AMX4		54							

ok. None
classmate washer
"National"

Room 92

Composite Medical Facility Replacement
Thule Air Base, Greenland

Proposed Completion Dates

Advertise	04 Jun 2002
Receive Contractor Proposals	19 Aug 2002
Initiate Evaluation of Proposals (1 Step)	week of 26 Aug 2002 @ New York
Receive Authority/Funding to Award	16 Sep 2002
Construction Contract Award	27 Sep 2002
Pre-Work Conference @ Thule AB	week of 21 Oct 2002
Design/Build Notice To Proceed	30 Oct 2002
S5 (65%) Design Submittal Rec'd	09 Jan 2003
Review Comments Due	27 Jan 2003
Review Conference Start	29 Jan 2003
Review Conference End	30 Jan 2003
S6 (100%) Design Submittal Rec'd	18 Mar 2003
Review Comments Due	03 Apr 2003
Review Conference Start	08 Apr 2003
Review Conference Ends	09 Apr 2003
Backcheck Submittal Received	30 Apr 2003
Backcheck Review Comments Due	07 May 2003
Construction Mobilization	May 2003
Shipments of Materials Arrive at Thule AB	mid-Jul 2003
Construction Complete	31 Dec 2004 or better
Forecast Beneficial Occupancy Date	April 2004